

Lockable Anti-Theft Tablet Wall Mount



Black

**Black &
White**



For more information: barkanmounts.com

If you are satisfied with the product, please give us a 5 stars ★★★★★ rating on the website you bought it from. If you are not satisfied please contact us at <https://www.barkanmounts.com/support> and we will solve the problem for you.

Tablet Size

7"-14"





17.7cm-35.5cm

Tablet Weight


US	Max	EU
3.1lbs		1.4kg




**Safety instructions and installation warnings (provided separately)
must be read in full, prior to assembly.**

A Clamp + wall plate  x1		B key  x2
Z1 Bolt  x2	Z2 Anchor  x2	Z3 Screw  x2
Z4 Nut  x2	Z5 Washer  x2	Z6 Adaptor  x2


Required Tools




- 1** Place the PVC adaptors inside the clamp holders




- 2** Loosen the screw, open the ruler on the back according to your device size and tighten the screw.
Example - device 10" to 11", open the ruler to 10".



- 3** Installation on a wall




- Installation on a monitor mount plate that is 75x75 mm





Follow the steps according to your wall type

4a




5a

4b




5b

5a




Use a Stud Finder




Make sure all holes are drilled inside the studs





5b




Drill with 5/16" \ 8 mm drill bit




Drill with 1/8" \ 3mm drill bit



The anchor must be sunk at least 3/8" \ 10 mm into the plaster coating




Z1



FULL TIGHTENING

Z1





FULL TIGHTENING

6

Weight test

Apply force on the upper part of the mount and make sure it is well connected




8

7

Installation on a monitor mount plate that is 75x75 mm


7/16"
11 mm




8

Locking


Unlock the clamp



Open the clamp, relock it and take out the key



Close the clamp on your device



9

