

Bäumr-AG®

CMS-14 MORTAR CONCRETE MIXER



User Manual

[Revision 1.0]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description, and packaging.

Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:



You **WILL** be **KILLED** or **SERIOUSLY INJURED** if you do not follow instructions.



You **CAN** be **KILLED** or **SERIOUSLY INJURED** if you do not follow instructions.



You **CAN** be **INJURED** if you do not follow instructions or equipment damage may occur.

It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.

Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.

Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.

- **Before Use** - If you are not familiar with the safe operation/handling of the equipment or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety.
- Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases, or dust. The equipment may create sparks or heat that may ignite flammable substances.
- Keep clear of moving parts.
- Equipment may be a potential source of electric shock or injury if misused.
- Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state.
- Do NOT allow others to use the equipment unless they have read this manual and are adequately trained.
- Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property.

General Work Area Safety

- Work areas should be clean and well lit.
- Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area.
- If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards.

General Personal Safety

- Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment.
- Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance.
- Do not use the equipment if tired or under the influence of drugs, alcohol, or medication.
- This equipment is not intended for use by persons with reduced physical, sensory, or mental capabilities.

General Fuel Safety

- Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources.
- Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing.
- Do NOT smoke near fuel or when refuelling.
- Always shut off the engine before refuelling.
- Do NOT refuel a hot engine.
- Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly.
- Always refuel in well-ventilated areas.
- Always check for fuel leakage. If fuel leakage is found, do not start, or run the engine until all leaks are fixed.

General Carbon-Monoxide Safety

- Using a combustion engine indoors **CAN KILL IN MINUTES**. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see.
- Use combustion engines **OUTSIDE** only, and far away from windows, doors, and vents.

General Equipment Use and Care

- Keep packaging away from children and pets, potential risk of suffocation or choking.
- The equipment is designed for domestic use only.
- Handle the equipment safely and carefully.
- Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage, or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use.
- Prevent unintentional starting of the equipment - ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on.
- Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters.
- Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations.
- Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated.
- Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases, or liquids etc.
- The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid.
- Do not clean equipment with solvents, flammable liquids, or harsh abrasives.
- For specific equipment safety use and care, see Equipment Safety.

General Electrical Safety

- Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately.
- Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment.
- When wiring electrically powered equipment, follow all electrical and safety codes.
- Always use a Residual Current Device (RCD) (GFCI) / Earth Leakage Circuit Breaker / Safety Switch when operating this item (electrical items only).
- High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.

General Electrical Safety

- Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet.
- Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord.
- Do NOT use equipment that has exposed wiring, damaged switches, covers or guards.
- Do NOT use electrical equipment in wet conditions or in damp locations.
- Do NOT use electrical cords to lift, move or carry equipment.
- Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards.

General Service Information

- The equipment must be serviced or repaired at authorised service centres by qualified personnel only.
- Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained.
- Do NOT attempt any maintenance or repair work not described in this manual.
- After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before adjusting, changing accessories, or performing repair or maintenance.
- Do NOT adjust while the equipment is running.
- Perform service-related activities in suitable conditions, such as a workshop.
- Replace worn, damaged or missing warning/safety labels immediately.

Child Choking Hazard!



• **WARNING: CHOKING HAZARD - CHILDREN UNDER 8 YRS. CAN CHOKE OR SUFFOCATE ON SMALL PARTS. ADULT SUPERVISION REQUIRED.**

- Carefully inspect anything a baby or child could gain access to, including this product & packaging.
- Dangers include anything of a size that could become stuck or lodged in a baby or child's airway.
- Dangers include things like raw, hard fruit and vegetable pieces, large pieces of meat, bones or sausage skins, popcorn, nuts, hard lollies and corn chips, small magnets and batteries, coins, beads, marbles and small uninflated balloons, broken toys and smaller toys, buttons, keys, and coins. But there are also many more.
- Pay particular attention to accessories, nuts, bolts, screws, washers, caps, covers, loose parts, parts that could be removed or break off, pieces of packaging, staples, tape etc.
- In the case of any doubt, secure the item of concern in an appropriate manner, or completely remove the possibility of access by a baby or child.

HAZARDOUS COMPONENTS!

- **BE AWARE THAT THE EQUIPMENT MAY INCLUDE HAZARDOUS COMPONENTS, SUCH AS BLADES, HOT SURFACES AND MOVING PARTS.**
- **MOVING BLADES CAN CAUSE SERIOUS INJURY AND EVEN DEATH IF USED IMPROPERLY OR WITHOUT SUFFICIENT PPE.**
- **DO NOT USE THIS EQUIPMENT ON UNEVEN SURFACES AND ALWAYS MAINTAIN GOOD BALANCE WHEN USING THIS EQUIPMENT. FAILURE TO DO SO MAY CAUSE SERIOUS INJURY.**
- **MAINTAIN A SECURE GRIP OF THE TRIGGER ASSEMBLY AT ALL TIMES.**

Understand Your Mixer

- Read and understand the owner's manual and labels affixed to the mixer. Learn its application and limitations as well as the specific potential hazards associated with it.
- Become familiar with the controls before operating this mixer.

Stay Alert

- Do not operate the mixer while under the influence of drugs, alcohol, or any medication that could affect your ability to use it properly.
- Do not use this mixer when you are tired or distracted from the task at hand. Be mindful of what you are doing at all times. Use common sense.

Avoid Dangerous Conditions

- Ensure there is adequate surrounding workspace.
- Keep your work area clean and well-lit. Cluttered areas invite injuries. Keep the area around the mixer free from obstructions, grease, oil, trash, and other debris that could cause someone to fall onto moving parts.
- Only use or operate the mixer on solid, flat, level ground that is capable of supporting the weight of the mixer and its load to prevent the mixer from tipping over.
- Do not attempt to move the mixer when it is loaded and/or in operation.
- This mixer is intended for the production of concrete, mortar, and plaster. It is not suitable for mixing flammable or explosive substances. Do not use it in areas where fumes from paint, solvents, or flammable liquids pose a potential hazard.

Inspect Your Mixer

- Check your mixer before turning it on. Keep guards in place and in working order. Check all bolts, nuts, and screws for tightness before each use, especially those securing guards and drive mechanisms. Vibration during mixing may cause these to loosen.

CMS-14 Mortar Concrete Mixer

- Form a habit of checking that all adjusting tools, shovels, hand trowels, and other equipment are removed from the mixer area before turning it on.
- Replace damaged, missing, or failed parts before use. Warning labels carry important information, so replace any missing or damaged labels.

Dress Properly

- Do not wear loose clothing, gloves, neckties, or jewellery (rings, wristwatches) as they can be caught in moving parts. Protective, electrically non-conductive gloves and non-slip footwear are recommended when working. Wear protective hair coverings to contain long hair, preventing it from getting caught in machinery. Wear a face or dust mask if the operation is dusty. Always wear safety goggles and/or face shields. Everyday eyeglasses only have impact-resistant lenses and are not safety glasses.

Do Not Abuse the Cord

- Never carry the mixer by the cord or yank it to disconnect it from the socket.
- Keep the cord away from heat, oil, and sharp edges.

Extension Cords

- Extension cords must be no longer than 50 metres in length. The wire section must be 1.5mm² on 230V to allow sufficient current flow to the motor. Improper use of extension cords may cause inefficient operation of the mixer, which can result in overheating and motor damage.
- Only extension cords compliant with H07RN-F specifications, intended for outdoor use, may be used. Avoid using loose and inadequately insulated connections. Connections must be made with materials suitable for outdoor use. Ensure that any extension cord connections are dry and safe. Lay the extension cord out carefully, avoiding liquids, sharp edges, and places where vehicles might run over it. Avoid allowing the extension cord to become trapped underneath the mixer. Unroll it fully, as failure to do so could cause overheating and potentially lead to a fire.

Avoid Electrical Shock

- Check that the electrical circuit is adequately protected and that it corresponds with the power, voltage, and frequency of the motor.
- Do not plug or unplug the motor while standing in or around damp or wet ground. Do not use the mixer in wet or damp areas or expose it to rain.
- Prevent body contact with grounded surfaces such as pipes, radiators, stoves, and refrigerator enclosures.
- Ensure that your fingers do not touch the plug's metal prongs when plugging or unplugging the mixer.

Keep Visitors and Children Away

- Keep unauthorized persons away from the mixer.
- Do not allow children to handle or climb on or in the mixer.

Do Not Overreach

- Maintain proper footing and balance at all times when loading or unloading the mixer.
- Never stand on the mixer. Serious injury could occur if the mixer tips or if moving parts are unintentionally contacted. Do not store anything above or near the mixer where someone might stand on the mixer to reach them.

Avoid Injury from Unexpected Accidents

- Keep hands clear of all moving parts. Do not place any part of your body or any tool, such as a shovel, into the drum during operation. While operating, do not pass your hands through the clearance between the frame and support leg, or between the drum and support leg.

Do Not Force the Tool

- It will perform better and more safely at its designed rate. Always work within the rated capacity.
- Do not start the motor if the drum is fully loaded. Do not turn off the mixer while it is full of concrete.
- Do not use the mixer for any purpose for which it was not intended.
- The mixer is not to be towed by any vehicle.

Never Leave the Mixer Running Unattended

- Do not leave the mixer until it has come to a complete stop.

Disconnect Power

- Disconnect the mixer from the power supply when not in use, before moving it, making adjustments, changing parts, cleaning, or working on the mixer. Consult the technical manual before servicing.

Maintain Your Mixer with Care

- Clean the mixer immediately after use. Keep the mixer clean for optimal and safe performance.
- When maintaining this mixer, only use the manufacturer's original replacement parts.

Protect the Environment

- Take leftover materials to an authorised collection point or follow the regulations of the country where the mixer is used. Do not discharge waste into drains, soil, or water.

Store Idle Equipment

- When not in use, the mixer should be stored in a dry location to prevent rust. Keep the mixer away from children and others not qualified to use it.

Electrical Connection





















- Ensure the motor is switched off before plugging it into the power supply. Do not connect either core to the earth pin.

CMS-14 Mortar Concrete Mixer

- The use of a Residual Current Device (RCD) or earth leakage trip on 230V electrical systems is recommended. If using an extension cable, plug it directly into the RCD.

Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc., replace them.

 <p>Flammable Material Hazard Flammable liquids, gases, or substances etc may present. Avoid ignition sources and open flames. Danger of fire.</p>	 <p>Read User Manual Read and fully understand product safety warnings, operation, procedures etc before using the product.</p>	 <p>Use Hand Protection Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.</p>	 <p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>
 <p>Electrocution / Electrical Shock Hazard High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.</p>	 <p>Toxic Fumes / Dust Hazard Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.</p>	 <p>Explosive Material Hazard Combustible liquids, gases, or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.</p>	 <p>Cutting / Amputation Hazard The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.</p>
 <p>Crush Hazard The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Single Operator Only The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.</p>	 <p>Use Face Protection Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.</p>	 <p>Use Foot Protection Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.</p>
 <p>Use Eye / Ear / Head Protection Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing, and head hazards.</p>	 <p>Running Hazard Do not run on or near the product as doing so may present a fall hazard.</p>	 <p>Diving Hazard Do not dive into the product as doing so may present a neck / head injury hazard.</p>	 <p>Adult Supervision Required Always supervise children and other users of a product to prevent drowning or injury.</p>
 <p>Skin Penetration / Puncture Hazard The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.</p>	 <p>Hot Surface Hazard Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.</p>	 <p>Flying Debris Hazard Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.</p>	 <p>Moving Parts Hazard Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.</p>























 <p>Carbon-Monoxide Hazard Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.</p>	 <p>Pull Hazard Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.</p>	 <p>Slope / Fall Injury Hazard Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.</p>	 <p>"Slam Dunk" Warning Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.</p>
 <p>Electrocution / Electrical Shock Hazard - Outdoor High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp, or wet conditions. Electrical shock can be fatal.</p>	 <p>Electrocution / Electrical Shock Hazard - Disconnect High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.</p>	 <p>Power Line Electrocution Hazard High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.</p>	 <p>"Kick-Back" Hazard High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.</p>
 <p>Winch Operator Position Hazard Do NOT stand between winch and load. Do NOT use winch to move people.</p>	 <p>Winch Lift Hazard Do NOT LIFT load vertically. Use machine to PULL only.</p>	 <p>Cable Hazard Ensure that load bearing cable is not kinked or knotted.</p>	 <p>Winch Cable Hazard Ensure that there is a minimum number of cable coils on winching mechanism.</p>
 <p>Winch Hook Hazard Carry hook to load – do NOT throw or run.</p>	 <p>Flash / Blinding Hazard Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.</p>	 <p>Laser Hazard Laser may be in use – do NOT look directly at laser or allow others to.</p>	 <p>Choking Hazard Children under 8 yrs. Can choke or suffocate on small parts. Adult supervision required.</p>

Table of Contents

Safety	2
Safety Symbols	6
Parts Identification	9
Assembly	10
Frame	10
Wheels	10
Drum	11
Mixing Blades	11
Motor	12
Legs	12
Operation	13
Loading	13
Emptying	13
Maintenance	14
Specifications	15

Parts Identification




		2
	M8X16	4
	M10X45	2
	M8X16	6
	M10X80	4
	M12X25	1
	M8X60	4
	M10X120	2

Assembly


It is recommended that two people assist with the assembly.

Frame




1. Align the four holes of the main bracket with the support leg, then insert four M10x80 bolts from one side. On the other side, place flat washers, lock washers, and nuts, then tighten with a wrench.
2. Insert the handles through the holes in the main bracket, then insert two M10x45 bolts from one side. On the other side, place flat washers and nuts, then tighten with a wrench.

Wheels



1. Slide the wheels onto the axle. Place a washer against each wheel, then secure it with the locking pin.
2. Install the second wheel with the same process.

Drum




1. Attach the lower drum to the main bracket, place a large flat washer, and then tighten an M12x25 bolt with a wrench.
2. Align the holes of the lower drum, the rubber gasket, and the upper drum. Place the rubber gasket and upper drum onto the lower drum.
3. Insert six M8x16 bolts from one side. On the other side, place flat washers, lock washers, and nuts, then tighten with a wrench.

Mixing Blades




1. Place the mixing blade inside the drum. Secure the mixing blade to the drum by inserting two M8x16 cross screws from the outside, through the holes into the drum. A washer should be positioned inside, between the drum and the blade. Secure the mixing blade on the inside using a flat washer, spring washer, and nut.
2. Install the second mixing blade in the same manner.
3. Tighten all the screws.

Motor



Place the motor assembly and gear cover onto the frame. Secure them with four M10x80 bolts, four flat washers ($\Phi 10$), four spring washers ($\Phi 10$), and four M10 nuts.

Legs



1. Insert the four legs into the connecting pipe at the angle shown in the diagram and tighten them with two M10x120 bolts and two M10 locking nuts.
2. Insert the connecting tube into the fixed sleeve at the bottom of the frame.

Operation

Loading

- Completely unwind the extension cord and connect it to the concrete mixer before plugging it into the power supply.
- Always start the mixer before loading the drum. Load the drum while it is rotating.
- Do not throw material into the mixer, as this may cause it to stick to the back of the drum. Instead, trickle it steadily over the ram.

For best results, proceed as follows:

1. Add the required amount of gravel into the drum.
2. Add the required amount of cement into the drum.
3. Add the required amount of sand into the drum.
4. Pour the required amount of water into the drum.

Emptying

Do not turn the mixer off while it is full. Empty the drum while it is rotating


Maintenance

ATTENTION: Surface corrosion will occur on metal surfaces over time and the rate of oxidation depends on factors such as proximity to the ocean and humidity or condensation of water vapour on metal surfaces. To mitigate this, WD40 can be used to remove surface corrosion then, when applied periodically, it will prevent rust from forming.

Before starting any maintenance or repairs, stop the engine or switch off the motor, and disconnect it from the main power supply.

Upon completion of maintenance, ensure the mixer functions correctly and that all guards are properly fitted.

- Never put your hands inside the drum while it is rotating.
- Thoroughly clean the mixer at the end of each day's operation. Keep your mixer clean. Even the slightest trace of material left in the drum will harden and attract more material each time you use it, eventually rendering the machine unusable. Dried cement should be scraped out of the drum. Do not throw bricks into the mixer drum to clean it out.
- Do not hit the drum with a shovel, hammer, or other tools to break up accumulations of dried cement mix, as this may cause damage to the mixer.
- Do not pour or spray water directly over the motor cover, especially near the openings.
- Wipe off any external material on the motor. Do not use petrol, turpentine, lacquer, paint thinner, dry-cleaning fluids, or similar products.
- The wiring diagram and parts schematic in this manual are for reference purposes only. Neither the manufacturer nor the distributor makes any representation or warranty to the buyer that they are qualified to make any repairs to the product or to replace any parts of the product. Only qualified technicians should repair the mixer. Any maintenance and repairs to the electrical components must be undertaken by a qualified electrician.
- Parts marked with a circle should only be fitted by a qualified electrician.



Specifications

Drum Capacity	140L
Voltage	240V
Power (Watts)	550W
Oil Type	10W-30 10W-40 15W-40
Drum Speed	32 RPM
Body Material	Steel
Finish	Powder-coated
Power Type	Corded Electric
Drum Diameter	566mm
Wheels	10-inch rubber
Power Plug	10A Australian Standard

Note: Requires assembly



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging, and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear, or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear, or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business, or employee, or financially affect the user, business, or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement, or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.

