

PRATO RIPPLE BASE

INSET BATH/SPA BATH WITH TILE BEAD - Premium Sanitary Grade Acrylic, High Gloss White

The Prato Ripple Base's increased width & depth makes it larger than many traditional shower baths. Additionally this bath has a slip resistant pattern that provides greater safety when entering & exiting the bath. *End waste position.* 🇦🇺 Made in Australia

✓ Molded arm rests

✓ Lumbar support

✗ Suitable for dual bathing

✓ Slip resistant pattern



PRATO RIPPLE BASE BATH

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1210 x 815 x 425	76L	15.1kg	MO1210W
1515 x 815 x 445	124L	19.3kg	MO1510W
1635 x 815 x 510	159L	22.6kg	MO1650W
1785 x 815 x 510	194L	25kg	MO1800W



- 15 YR WARRANTY*
- AS/NZ Standard 2023/1995
- Steel rod reinforced rim
- Double reinforced bath base



PRATO RIPPLE BASE SANTAI SPA BATH ● 10 JETS

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1515 x 815 x 445	124L	34.3kg	MO1510SAN10JW
1635 x 815 x 510	159L	37.6kg	MO1650SAN10JW
1785 x 815 x 510	194L	45kg	MO1800SAN10JW

- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x low profile Mod centro jets
- 4 x low profile Mod mini jets
- 1 x low profile Mod suction
- 1 x Mod power button (rim mounted)
- 2 x Mod air controls (rim mounted)
- 750 watt auto heat boost pump



PRATO RIPPLE BASE CONTOUR SPA BATH ●● 12 JETS

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1515 x 815 x 445	124L	34.3kg	MO1510CNSPAWC
1635 x 815 x 510	159L	37.6kg	MO1650CNSPAWC
1785 x 815 x 510	194L	45kg	MO1800CNSPAWC

- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x flush C-Lenda™ centro jets
- 6 x flush C-Lenda™ mini jets
- 2 x flush C-Lenda™ air controls
- 1 x flush C-Lenda™ suction
- 1 x Sensa-Touch pad control (rim mounted)
- 750 watt 3-stage heat boost pump



Available with Chrome, White or Black jets



PRATO RIPPLE BASE DOLCE VITA SPA BATH ●●● 16 JETS

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1635 x 815 x 510	159L	68kg	MO1650DVSPAWC
1785 x 815 x 510	194L	75kg	MO1800DVSPAWC


- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x adjustable flush C-Lenda™ centro jets
- 10 x adjustable flush C-Lenda™ mini jets
- 2 x flush C-Lenda™ air controls
- 1 x flush C-Lenda™ suction
- Spa Key remote control
- 1100 watt spa key heat boost pump

*Capacity 200mm below the bath rim

ACCESSORIES	BATH	SANTAI SPA BATH	CONTOUR SPA BATH	DOLCE VITA SPA BATH
EZI Frame/Base Support Frame	Optional (N/A 1205mm)	Optional	Optional	✓
SIA Headrest (Black/White)	Optional	Optional	✓ x 1	✓ x 1
Overflow	Optional	Optional	Optional	Optional
Plug & Waste	Optional	Optional	Optional	Optional

PRATO RIPPLE BASE

INSET BATH/SPA BATH WITH TILE BEAD - Premium Sanitary Grade Acrylic, High Gloss White



SPA BATH ORDER FORM

Spa baths are made to order on receipt of the order form & are non-refundable. Please allow 15 working days for completion & dispatch. We recommend filling out your SPA BATH ORDER FORM with your qualified spa bath installer.

COMPANY & BRANCH: _____ PHONE NO: _____

CONTACT: _____ ORDER NO: _____ DATE: _____

MODEL: _____ SIZE: _____ QTY: _____ RANGE SANTAI ☐ CONTOUR ☐ DOLCE VITA ☐

SANTAI SPA BATH OPTIONS

PUMP UPGRADE Manual Xtra-Heat Boost Pump (RRP \$215) ☐

EZI FRAME (RRP from \$115) Supplied ☐ Factory Fitted (Additional cost) ☐

HEADRESTS (RRP \$99 each) White QTY: _____ Black QTY: _____

PUMP UPGRADE Sensa-Touch Pad Control 3-Stage Heat (RRP \$425) ☐

BASE SUPPORT FRAME Factory Fitted (RRP \$325) ☐

OVERFLOW (RRP from \$120) ☐

CONTOUR SPA BATH OPTIONS

EZI FRAME (RRP from \$115) Supplied ☐ Factory Fitted ☐ (Additional cost)

HEADREST COLOUR (NO additional cost) White ☐ Black ☐

BASE SUPPORT FRAME Factory Fitted (RRP \$325) ☐

OVERFLOW (RRP from \$120) ☐

DOLCE VITA SPA BATH OPTIONS

HEADREST COLOUR (NO extra cost) White ☐ Black ☐

OVERFLOW (RRP from \$120) ☐

JET COLOUR (NO extra cost) Chrome ☐ White ☐ Black ☐

SPA PUMP NOTES

- The spa pump does not fit directly in the baths perimeter (allow 100mm)

- Waste positions can not be changed

- We recommend spa pumps installed outside are fitted with a Spa Pump Cover (RRP \$199)

- The spa pump must be easily accessible for maintenance

- The spa pump controls will always be at the front, unless indicated below

----- Please refer to the technical drawings before choosing your spa pump position, as spa bath waste & pump positions CAN NOT be customised -----


1. CIRCLE YOUR PUMP POSITION A / B / C / D ON THE DIAGRAM

300mm of pipework & 2 elbows are supplied to install the pump in the correct orientation.

If extra pipework is required, how much? _____mm (max. recommended distance between the spa bath & pump is 1.2m)

2. CROSS (X) YOUR SHOWER HEAD POSITION ON THE DIAGRAM (if applicable)

Spa pump controls can not be on the same end as the shower.



CUSTOMER NAME: _____

CUSTOMER SIGNATURE: _____


CUSTOMER EMAIL: _____

CUSTOMER PHONE NO: _____

*Whilst every effort is made to adhere to published jet & fittings positions, variation to specifications may occur without notice.

PRATO SMOOTH BASE

INSET BATH/SPA BATH WITH TILE BEAD - Premium Sanitary Grade Acrylic, High Gloss White

The Prato Smooth Base's increased width & depth makes it larger than many traditional shower baths, plus its molded head & neck supports offer extra comfort. The reinforced rim provides greater safety when entering & exiting the bath. *End waste position.*  Made in Australia

✓ Molded arm rests

✓ Lumbar support

✗ Suitable for dual bathing

✗ Slip resistant pattern



PRATO SMOOTH BASE BATH

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1515 x 815 x 445	124L	19.3kg	PR1510W
1635 x 815 x 445	159L	22.6kg	PR1650W
1785 x 815 x 445	194L	25kg	PR1800W



- 15 YR WARRANTY*
- AS/NZ Standard 2023/1995
- Steel rod reinforced rim
- Double reinforced bath base



PRATO SMOOTH BASE SANTAI SPA BATH ● 10 JETS

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1515 x 815 x 445	124L	34.3kg	PR1510SAN10JW
1635 x 815 x 445	159L	37.6kg	PR1650SAN10JW
1785 x 815 x 445	194L	45kg	PR1800SAN10JW

- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x low profile Mod centro jets
- 4 x low profile Mod mini jets
- 1 x low profile Mod suction
- 1 x Mod power button (rim mounted)
- 2 x Mod air controls (rim mounted)
- 750 watt auto heat boost pump



PRATO SMOOTH BASE CONTOUR SPA BATH ●● 12 JETS

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1515 x 815 x 445	124L	34.3kg	PR1510CNSPAWC
1635 x 815 x 445	159L	37.6kg	PR1650CNSPAWC
1785 x 815 x 445	194L	45kg	PR1800CNSPAWC

- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x flush C-Lenda™ centro jets
- 6 x flush C-Lenda™ mini jets
- 2 x flush C-Lenda™ air controls
- 1 x flush C-Lenda™ suction
- 1 x Sensa-Touch pad control (rim mounted)
- 750 watt 3-stage heat boost pump



PRATO SMOOTH BASE DOLCE VITA SPA BATH ●●● 16

SIZE (l) x (w) x (d) mm	CAPACITY*	NET WEIGHT	CODE
1635 x 815 x 445	159L	68kg	PR1650DVSPAWC
1785 x 815 x 445	194L	75kg	PR1800DVSPAWC

- 10 YR WARRANTY* - SPA SHELL
- 5 YR WARRANTY* - PUMP, JETS & FITTINGS
- AS/NZ Standard AS3861/1991
- Steel rod reinforced rim
- Double reinforced bath base
- 6 x adjustable flush C-Lenda™ centro jets
- 10 x adjustable flush C-Lenda™ mini jets
- 2 x flush C-Lenda™ air controls
- 1 x flush C-Lenda™ suction
- Spa Key remote control
- 1100 watt spa key heat boost pump

Available with Chrome, White or Black jets




*Capacity 200mm below the bath rim

ACCESSORIES	BATH	SANTAI SPA BATH	CONTOUR SPA BATH	DOLCE VITA SPA BATH
EZI Frame/Base Support Frame	Optional	Optional	Optional	✓
SIA Headrest (Black/White)	Optional	Optional	✓ x 1	✓ x 1
Overflow	Optional	Optional	Optional	Optional
Plug & Waste	Optional	Optional	Optional	Optional

PRATO SMOOTH BASE

INSET BATH/SPA BATH WITH TILE BEAD - Premium Sanitary Grade Acrylic, High Gloss White



SPA BATH ORDER FORM

Spa baths are made to order on receipt of the order form & are non-refundable. Please allow 15 working days for completion & dispatch. We recommend filling out your SPA BATH ORDER FORM with your qualified spa bath installer.

COMPANY & BRANCH: _____ PHONE NO: _____

CONTACT: _____ ORDER NO: _____ DATE: _____

MODEL: _____ SIZE: _____ QTY: _____ RANGE SANTAI ☐ CONTOUR ☐ DOLCE VITA ☐

SANTAI SPA BATH OPTIONS

PUMP UPGRADE Manual Xtra-Heat Boost Pump (RRP \$215) ☐

EZI FRAME (RRP from \$115) Supplied ☐ Factory Fitted (Additional cost) ☐

HEADRESTS (RRP \$99 each) White QTY: _____ Black QTY: _____

PUMP UPGRADE Sensa-Touch Pad Control 3-Stage Heat (RRP \$425) ☐

BASE SUPPORT FRAME Factory Fitted (RRP \$325) ☐

OVERFLOW (RRP from \$120) ☐

CONTOUR SPA BATH OPTIONS

EZI FRAME (RRP from \$115) Supplied ☐ Factory Fitted ☐ (Additional cost)

HEADREST COLOUR (NO additional cost) White ☐ Black ☐


BASE SUPPORT FRAME Factory Fitted (RRP \$325) ☐

OVERFLOW (RRP from \$120) ☐

DOLCE VITA SPA BATH OPTIONS

HEADREST COLOUR (NO extra cost) White ☐ Black ☐

OVERFLOW (RRP from \$120) ☐

JET COLOUR (NO extra cost) Chrome ☐ White ☐ Black ☐ 

SPA PUMP NOTES

- The spa pump does not fit directly in the baths perimeter (allow 100mm)

- Waste positions can not be changed

- We recommend spa pumps installed outside are fitted with a Spa Pump Cover (RRP \$199)

- The spa pump must be easily accessible for maintenance

- The spa pump controls will always be at the front, unless indicated below

----- Please refer to the technical drawings before choosing your spa pump position, as spa bath waste & pump positions CAN NOT be customised -----


1. CIRCLE YOUR PUMP POSITION A / B / C / D ON THE DIAGRAM

300mm of pipework & 2 elbows are supplied to install the pump in the correct orientation.

If extra pipework is required, how much? _____mm (max. recommended distance between the spa bath & pump is 1.2m)

2. CROSS (X) YOUR SHOWER HEAD POSITION ON THE DIAGRAM (if applicable)

Spa pump controls can not be on the same end as the shower.



CUSTOMER NAME: _____ CUSTOMER SIGNATURE: _____

CUSTOMER EMAIL: _____ CUSTOMER PHONE NO: _____

*Whilst every effort is made to adhere to published jet & fittings positions, variation to specifications may occur without notice.