



**Harvey Norman®**

Online | Mobile | **Your Local** Store

**SHOP with CONFIDENCE** on Quality, Value and Service.

Call 1300 464 278 for your local store.

**Bathroom & Tiles available at the following locations:** • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman® stores are operated by independent franchisees.









# Caroma®

CI/SfB	(74.2)	g3
Date		
August 2016		

Supersedes all previous issues

## Artisan Oval 510

**Vitreous China Above Counter Vanity Basin**

Nominal Size: 510mm x 380mm

## 2.01.1







Tapware shown not included.

The Artisan basin range represents the freshness and simplicity of nordic style design. Influenced by European trends in thinner rim design, the wide variety of shapes and sizes is sure to appeal to the style conscious seeking luxury design. The basin is suitable for general purpose, domestic and commercial applications.

**Tap Holes:** Basin available in: No tapholes Code No.874700W.

**Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C



**Bowl Capacity:** 10.5 litres.

**Overflow:** Overflow not available.


**Fixing:** An acetic cured silicone sealant is to be used to secure the basin to the counter top. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.

**Colours:** White only.

**Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



Acetic cured silicone sealant  
**IMPORTANT:** Epoxy type  
glues must not be used





# Caroma®

CI/SfB	(74.2)	g3
Date		
August 2016		

Supersedes all previous issues

## Artisan Rectangle 490

**Vitreous China Above Counter Vanity Basin**

Nominal Size: 490mm x 380mm

## 2.01.1





### Artisan Rectangle 490



Tapware shown not included.

The Artisan basin range represents the freshness and simplicity of nordic style design. Influenced by European trends in thinner rim design, the wide variety of shapes and sizes is sure to appeal to the style conscious seeking luxury design. The basin is suitable for general purpose, domestic and commercial applications.

**Tap Holes:** Basin available in: No tapholes Code No.874500W.

**Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C



**Bowl Capacity:** 13 litres.

**Overflow:** Overflow not available.


**Fixing:** An acetic cured silicone sealant is to be used to secure the basin to the counter top. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.

**Colours:** White only.

**Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



Acetic cured silicone sealant  
**IMPORTANT:** Epoxy type  
glues must not be used





# Caroma®

CI/SfB	(74.2)	g3
Date		
March 2017		

Supersedes all previous issues

## Luna

**Vitreous China Inset Vanity Basin (without tap landing)**

Nominal Size: 450mm x 320mm

# 2.35.2





# Caroma®

## Luna

### Vitreous China Inset Vanity Basin (without tap landing)

Basin Size: 450mm x 320mm (nominal)



Tapware shown not included.

Classic and relaxed. The subtle, subdued curves of **Luna** basins will effortlessly flow into any contemporary bathroom design. This basin is suitable for domestic and commercial applications.

**Tap Holes:** Basin available in: No tapholes Code No.899105.

**Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C; Chrome pop-up plug and waste Code No.687329C.


**Bowl Capacity:** 2.4 litres to overflow.

**Overflow:** Overflow available only. Designed for maximum tap flow rate of 15 litres/minute.

**Fixing:** The underside of the basin rim must be sealed to the counter top with an acetic cured silicone sealant. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.

**Colours:** White only.

**Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



# Caroma®

CI/SfB	(74.2)	g3
Date		
March 2017		

Supersedes all previous issues

## Luna

## 2.18.1

### Vitreous China Above Counter Vanity Basin

Nominal Size: 450mm x 320mm





# Caroma®

## Luna

### Vitreous China Above Counter Vanity Basin

Basin Size: 450mm x 320mm (nominal)



Tapware shown not included.

Classic and relaxed. The subtle, subdued curves of **Luna** basins will effortlessly flow into any contemporary bathroom design. The basin is suitable for general purpose, domestic and commercial applications.

**Tap Holes:** Basin available in: No tapholes Code No.899000.

**Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C



**Bowl Capacity:** 7.7 litres.

**Overflow:** Overflow not available.


**Fixing:** An acetic cured silicone sealant is to be used to secure the basin to the counter top. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.

**Colours:** White only.

**Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



Acetic cured silicone sealant  
**IMPORTANT:** Epoxy type  
glues must not be used



# Caroma®

CI/SfB

(74.2) | g3 |

Date

March 2017

Supersedes all previous issues

## Luna

### Vitreous China Hand Wall Basin

Nominal Size: 450mm x 250mm

# 1.13.1





# Caroma®

## Luna

### Vitreous China Hand Wall Basin



Basin Size: 450mm x 250mm (nominal)




Tapware shown not included.

Classic and relaxed. The subtle, subdued curves of **Luna** basins will effortlessly flow into any contemporary bathroom design. The basin is suitable for domestic and commercial applications using standard Caroma plastic traps. Also suitable for installation with the Eco or Modina bottle trap whose smart chrome finish balances form and function for a brilliant bathroom solution.

- Tap Holes:** Basin available in: No tapholes Code No.873705; one taphole Code No.873715.
- Waste Outlet:** The basin has been designed for the Caroma Chrome Flush Fitting Waste (supplied) which is suitable for a 40mm trap connection. Alternative waste options are available — Chrome Waste Code No. 687328C, Vandal Resistant Flush Fitting Chrome Waste Code No.687141, Covered Chrome Plug and Waste Code No.687142, Vandal Resistant Covered Chrome Plug and Waste Code No.687143 and Chrome Pop-Up Plug and Waste 687329C.
- Traps:** 40mm Caroma Plastic Short P-trap outlet centre Code No.102115; 40mm Modina bottle trap Code No.687290C; 40mm Eco bottle trap Code No.687295C.
- Bowl Capacity:** 3 litres to overflow
- Overflow:** Overflow available only. Designed for maximum tap flow rate of 15 litres/minute.
- Fixing:** **D.200 Basin Fixing Kit** – Supplied. Bolts directly to the finished wall.
- Colours:** White only.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



**D.200 Basin Fixing Kit**  
included with basin



# Caroma®

## Contura 500

**Ceramic Inset Basin**

Nominal Size: 500mm x 380mm

CI/SfB

(74.2) | g3 |

Date

October 2014

Supersedes all previous issues

## 2.40.1





# Caroma®

## Contura 500

### Ceramic Inset Basin


Basin Size: 500mm x 380mm (nominal)



Tapware shown is not included.

Simplicity is the new luxury. Caroma's **Contura** collection comprises of soft and organic shapes that enable a feeling of space. This basin is suitable for general purpose, domestic and commercial applications.

- Tap Holes:** Basin available in: No tapholes Code No.898705; one taphole Code No.898715.
- Waste Outlet:** The basin has been designed with an integrated ceramic pop-up waste (supplied) which is suitable for a 40mm trap connection.
- Bowl Capacity:** 3.8 litres to overflow.
- Overflow:** Overflow available only. Designed for maximum tap flow rate of 15 litres/minute.
- Fixing:** The underside of the basin rim must be sealed to the counter top with an acetic cured silicone sealant. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.
- Colours:** White only.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.





## CONTURA 530 INSET BASIN

Contura's organic, minimalist form extends to its basin design, providing multiple style options to complement any bathroom space. The Contura 530 Inset Basin is designed for simplicity with a timeless life. Combine with the Caroma Contura bath to make a real statement in your bathroom space.




- 530 x 340 x 179
- Includes integrated ceramic pop-up plug and waste
- Overflow not available

### SPECIFICATIONS

<b>Shape</b>	Round
<b>Overflow</b>	No
<b>Capacity</b>	8.2L

### PRODUCT CODES

<b>895300W</b>	Contura 530 Inset Basin
----------------	-------------------------



© COPYRIGHT 2014 - CAROMA INDUSTRIES LIMITED





# Contura 530 Solid Surface Inset

## Solid Surface Inset Vanity Basin

**Basin Size:** 530mm x 340mm (nominal).

**Bowl capacity:** 8 litres.

Simplicity is the new luxury. Caroma's **Contura** collection comprises of soft and organic shapes that enable a feeling of space. Made from solid surface, composite stone, cast from natural materials which is soft to the touch, hygienic and restorable. It also has a contemporary matte stone finish. This basin is suitable for general purpose, domestic and commercial applications.


**Tap Holes:** Basin available in no taphole only.

**Overflow:** Overflow not available.

**Fixing:** An acetic cured silicone sealant is used to secure the basin to the counter top. **Epoxy type glues must not be used.** Basin supplied with a template which must be used for the counter top cut-out.

**Installation:** Refer to *Important Information for Plumbers* section.

**Colours:** White only.



Supplied with integrated solid surface cap pop up waste.

# Caroma®

CI/SfB

(74.2) | g3 |

Date

September 2016

Supersedes all previous issues

## Moon 420

### Ceramic Inset Vanity Basin

Nominal Size: 420mm x 420mm

# 2.37.1



# Caroma®

## Moon 420

### Ceramic Inset Vanity Basin




Basin Size: 420mm x 420mm (nominal)




Tapware and bottle trap shown not included.

Inspired by European trends in thinner rim design and Made in Italy, the Moon range is a striking design option for the modern bathroom. Offering beautiful, soft curved lines, this style creates a feeling of comfort and relaxation. Available in wide range of basin types to suit different applications. This basin is suitable for domestic and commercial applications.

- Tap Holes:** Basin available in: No tapholes Code No.EU551100; one taphole Code No.EU551110.
- Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C; Chrome pop-up plug and waste Code No.687329C.
- Bowl Capacity:** 8 litres.
- Overflow:** Overflow not available.
- Fixing:** The underside of the basin rim must be sealed to the counter top with an acetic cured silicone sealant. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.
- Colours:** Available as standard in White.  
Available as a special order in the following 5 colours: Lava, Tobacco, Sand, Ash and Pearl.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.



Acetic cured silicone sealant  
**IMPORTANT:** Epoxy type  
glues must not be used





# Caroma®

CI/SfB	(74.2)	g3
Date		
March 2017		

Supersedes all previous issues

## Teo 2.0 600

### Ceramic Inset Vanity Basin

Nominal Size: 602mm x 440mm

## 2.41.2



# Caroma®

## Teo 2.0 600

### Ceramic Inset Vanity Basin

Basin Size: 602mm x 440mm (nominal)



Tapware and bottle trap shown not included.

The pure geometric form of the Teo 2.0 basin reflects the confidence of a minimalist style. Inspired by the latest European trend to thinner rims and Made in Italy, the clean, straight lines and square styling, creates a strong statement for the bathroom. The basin is suitable for general purpose, domestic and commercial applications.

- Tap Holes:** Basin available in: No tapholes Code No.EU510905; one taphole Code No.EU510915.
- Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C; Chrome pop-up plug and waste Code No.687329C.
- Bowl Capacity:** 7.2 litres to overflow.
- Overflow:** Overflow available only. Designed for maximum tap flow rate of 8 litres/minute.
- Fixing:** The underside of the basin rim must be sealed to the counter top with an acetic cured silicone sealant. **Epoxy type glues must not be used.** The basin is supplied with a template which must be used for the counter top cut-out.
- Colours:** White only.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.

