

Harvey Norman


Online | Mobile | Your Local Store

SHOP with CONFIDENCE on Quality, Value and Service.

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • **BALGOWLAH SUPERSTORE** 9949 0100 • **CAMPBELLTOWN SUPERSTORE** 4621 5200 • **CARINGBAH HOMEMAKER CENTRE** 9589 8800 • **CASTLE HILL** 9840 8800 • **GORDON** 9496 9200 • **LIVERPOOL** 9600 3333 • **MASCOT** 9693 0710 • **PENRITH SUPERSTORE** 4737 5111 • **PUNCHBOWL** 9784 4400 • **BENNETTS GREEN** 4944 5000 • **ERINA** 4365 9888 • **WARRAWONG** 4223 8800 • **FYSHWICK** 6283 1200

Harvey Norman® stores are operated by independent franchisees.



HEATED TOWEL RAILS COLLECTION







PRODUCT SPECIFICATION SHEET



Manhattan 6 bar ROUND - CURVED


Product code: HTR70062060PRC / HTR70062060PLC

620 (w) x 700 (h) x 150 (d) mm

Features:

6 bars ● Hand polished mirror finish ● High grade stainless steel ● Left & right hand cable options ● Polished stainless steel end caps ● Concealed wiring kit included



















Note: Manufacturing tolerances could cause variances of ±5mm.

Additional Information

- 75 watts
- 230-240 Volts, 50Hz single phase
- Class 1 appliance requires an earth connection
- This rail should be mounted vertically with the cord exiting from the base.
- It should be positioned at least 600mm above the floor.
- Ingress Protection Rating: IP34 Splashproof

PRODUCT SPECIFICATION SHEET




Manhattan 9 bar ROUND

Product code: HTR94062090OPM

620 (w) x 940 (h) x 150 (d) mm

Features:

9 bars ● Hand polished mirror finish ● High grade stainless steel ● Left & right hand cable options ● Polished stainless steel end caps ● Concealed wiring kit included



















Note: Manufacturing tolerances could cause variances of ±5mm.

Additional Information

- 90 watts
- 230-240Volts, 50Hz single phase
- Class 1 appliance requires an earth connection
- This rail should be mounted vertically with the cord exiting from the base.
- It should be positioned at least 600mm above the floor.
- Ingress Protection Rating: IP34 Splashproof

PRODUCT SPECIFICATION SHEET




Manhattan 12 bar ROUND


Product code: HTR118062012OPM

620 (w) x 1180 (h) x 150 (d) mm

Features:

12 bars ● Hand polished mirror finish ● High grade stainless steel ● Left & right hand cable options ● Polished stainless steel end caps ● Concealed wiring kit included





















Note: Manufacturing tolerances could cause variances of ±5mm.

Additional Information

- 120 watts
- 230-240Volts, 50Hz single phase
- Class 1 appliance requires an earth connection
- This rail should be mounted vertically with the cord exiting from the base.
- It should be positioned at least 600mm above the floor.
- Ingress Protection Rating: IP34 Splashproof