

Harvey Norman

Online | Mobile | Your Local Store

SHOP with CONFIDENCE on Quality, Value and Service.

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman® stores are operated by independent franchisees.





Committed to the environment

At Methven we're committed to protecting the planet and reducing our environmental impact to help conserve the earth's natural resources.

water is the earth's most precious commodity. Currently around one fifth of the world lives in a water scarce region. And with water usage growing at twice the population rate, its preservation will only become more vital in years to come.

That's why at Methven we make taking care of water a primary focus in every product we develop.

For example, did you know that your shower uses around 30% of your household water consumption? So we've developed innovative technologies - such as Satinjet and Aurajet - that deliver a luxurious shower experience, all whilst actually using less water.


Methven. Conserving energy and water to protect the planet for generations to come.





Aio

AOBCPAU AIO BASIN MIXER









FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass
CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 80°C*

*Refer AS/NZS 3500


- Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- 35mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.
- Cushion close handle protects against forceful tap closure protecting the cartridge and spout.
- · ASD aerator included for optimised water stream direction.
- Integrated base ring eliminates potential build-up of dirt, making cleaning easier
- · Twin-stud mounting for secure basin installation.
- Stainless steel flexible hoses 1/2" BSP female.
- · Suitable for mains pressure installation.
- · WELS 4 Star 7.5l/min.







AOBMCPAU AIO MINI BASIN MIXER









FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass **CARTRIDGE TYPE: 25mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500


- · Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · 25mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.
 Cushion close handle protects against forceful tap closure protecting
- the cartridge and spout.
- ASD aerator included for optimised water stream direction.
- · Integrated base ring eliminates potential build-up of dirt, making
- Twin-stud mounting for secure basin installation.
- Stainless steel flexible hoses 1/2" BSP female.
- · Suitable for mains pressure installation.
- WELS 4 Star 7.5l/min.








AOHPSCPAU AIO SHOWER MIXER







FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass **CARTRIDGE TYPE: 35mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500


- · Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · 35mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.


 Cast metal wall plate construction for longevity
- · Incorporates brass lugs for ease of mounting
- Body inlets 1/2" BSP female
- Suitable for mains pressure installation.
- WELS rating not required.





AOHPSDCPAU AIO SHOWER MIXER WITH DIVERTER







FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass **CARTRIDGE TYPE: 35mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500

- · Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · 35mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.


 • Shower mixer with easy turn-dial diverter defaults to bath spout
- Cast metal wall plate construction for longevity
- Incorporates brass lugs for ease of mounting Body inlets 1/2" BSP female
- Suitable for mains pressure installation.
- WELS rating not required.






AOWBCPAU AIO WALL MOUNTED **BASIN MIXER**













FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass **CARTRIDGE TYPE: 35mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500


- · Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · 35mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.


 ASD aerator included for optimised water stream direction
- Body inlets 1/2" BSP female
- Suitable for mains pressure installation.
- WELS 4 Star, 7.5 l/min





AOWBTCPAU AIO WALL MOUNTED **BATH MIXER**









FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass **CARTRIDGE TYPE: 35mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500

- · Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · 35mm ceramic disc cartridge can be adjusted to reduce the temperature setting, saving energy.


 ASD aerator included for optimised water stream direction
- Body inlets 1/2" BSP female
- Suitable for mains pressure installation.
- WELS rating not required





<u>Aio</u>

AOSPWBTCPAU AIO WALL MOUNTED BATH SPOUT





FINISH: Chrome

CONSTRUCTION: Lead Free Eco Brass

CARTRIDGE TYPE: - **SUPPLY:** Mains Pressure

CONNECTIONS: 1/2" BSP Female - Push-fit **WORKING PRESSURES:** 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C*

*Refer AS/NZS 3500


- Crafted from Eco Brass®, a revolutionary high quality, high strength, corrosion resistant material that is lead and heavy metal free, therefore preserving water quality for both consumption and bathing.
- · Cast brass spout.
- · ASD aerator included for optimised water stream direction
- Suitable for use with Aio Shower Mixer (sold seperately)
- inlet 1/2" BSP female push-fit connection
- Suitable for mains pressure installation.
- · WELS rating not required





Waipori

WASSCPWHAU WAIPORI SATINJET TWIN SHOWER SYSTEM







Satinjet°





FINISH: Chrome/Graphite

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female **WORKING PRESSURES:** 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- · Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- · Height adjustable handset holder with twist action slider
- · Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- · Stylish graphite faceplate colour


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.





Waibori

WASRCPGRAU
WAIPORI GRAPHITE
SATINJET RAIL SHOWER





Satinjet°







FINISH: Chrome/White

FUNCTIONS: Satinjet®

MOUNTING METHOD: Adjustable mounting points

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female **WORKING PRESSURES:** 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500


- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- · Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- · Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- · Stylish white faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.





18-0226 TURQUOISE MKII RAIL SHOWER











FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Mount Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500


- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to
- existing holes
- Height adjustable handset holder with twist lock metal slider
- Stilo wall elbow
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.





18-0240 TURQUOISE MKII TWIN SHOWER SYSTEM









FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Bottom Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female **WORKING PRESSURES:** 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500


- · 5 function adjustable spray handset
- · Single function 250mm round overhead shower
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Twin shower rail with in-built water delivery point to eliminate the need for a separate wall elbow
- · Adjustable bottom pillar for easy retro-fit installation
- · Height adjustable handset holder with push button slider
- Easy switch from handset to overhead drencher with the water diverter
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.





KISSCPSCAU KIRI SATINJET TWIN SHOWER SYSTEM











FINISH: Chrome / Satin Chrome

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female **WORKING PRESSURES:** 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- · Single function handset featuring Satinjet® spray
- Single function 216mm round overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- · Height adjustable handset holder with twist action slider
- · Easy-to-clean faceplate
- Strong and durable, SatinLux hose

Satinjet[®]

· Stylish satin chrome faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.