



Harvey Norman®

Online | Mobile | **Your Local** Store

SHOP with CONFIDENCE on Quality, Value and Service.

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman® stores are operated by independent franchisees.

METHVEN

SHOWERS & TAPWARE Collection

Inspiration for planning your
bathroom and kitchen





METHVEN

Committed to the environment

At Methven we're committed to protecting the planet and reducing our environmental impact to help conserve the earth's natural resources.



Water is the earth's most precious commodity. Currently around one fifth of the world lives in a water scarce region. And with water usage growing at twice the population rate, its preservation will only become more vital in years to come.

That's why at Methven we make taking care of water a primary focus in every product we develop.

For example, did you know that your shower uses around 30% of your household water consumption? So we've developed innovative technologies - such as Satinjet and Aurajet - that deliver a luxurious shower experience, all whilst actually using less water.

Methven. Conserving energy and water to protect
the planet for generations to come.

01-7003
KAHA SWIVEL BASIN
MIXER



FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Concealed swivel operation at base of mixer
- Solid easy-to-grip modular handle
- Solid brass construction for longevity
- Spout fitted with flush mounted Adjustable Stream Direction Aerator
- Twin-stud mounting for secure basin installation
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-7102
KAHA SHOWER
MIXER



FINISH: Chrome

CONSTRUCTION: Brass body / Metal plate

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Metal wall plate construction for longevity
- Solid easy-to-grip modular handle
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-7157
KAHA SHOWER MIXER
WITH DIVERTER



FINISH: Chrome

CONSTRUCTION: Brass body / Metal plate

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa



OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Shower mixer with pull-out diverter defaults to bath spout
- Metal wall plate construction for longevity
- Solid easy-to-grip modular handle
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-7201
KAHA WALL MOUNTED
BATH MIXER WITH PLATE



FINISH: Chrome

CONSTRUCTION: Brass spout & body / Metal plate

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female




WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Metal wall plate construction for longevity
- Solid easy-to-grip handle
- Fixed spout fitted with flush mounted Adjustable Stream Direction Aerator with slim stream flow director
- Includes wall breach
- Left-hand outlet only
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

01-7072
KAHA WALL MOUNTED
BASIN MIXER WITH PLATE



FINISH: Chrome

CONSTRUCTION: Brass spout & body / Metal plate

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female



WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Metal wall plate construction for longevity
- Solid easy-to-grip handle
- Fixed spout fitted with flush mounted Adjustable Stream Direction Aerator with slim stream flow director
- Includes wall breach
- Left-hand outlet only
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

01-7508
KAHA 3 HOLE HOB
MOUNTED BASIN SET



FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 1/4 turn ceramic disc

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 1/4 turn ceramic disc technology
- Cast brass spout
- Contra-rotating handles
- Solid easy-to-grip handles
- Fixed spout fitted with flush mounted Adjustable Stream Direction Aerator with slim stream flow director
- Supplied with 300mm stainless steel flexible connections for inlets
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-7706
KAHA WALL TOP
ASSEMBLY PAIR



FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 1/4 turn ceramic disc

SUPPLY: Mains Pressure

CONNECTIONS: Suitable for standard breech



WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Standard Pair
- 1/4 turn ceramic disc technology
- Contra-rotating handles
- Solid easy-to-grip handles
- Breech not supplied
- Suitable for retro-fit to existing wall breech
- Suitable for mains pressure installation
- WELS rating not required

01-7300
KAHA SWIVEL SINK
MIXER



FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female


WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Concealed swivel operation at base of mixer
- Solid brass construction for longevity
- Swivel spout fitted with flush mounted Adjustable Stream Direction Aerator with slim stream flow director
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min


WASSCPWHAU WAIPORI SATINJET TWIN SHOWER SYSTEM



Satinjet®



Twist Free
Hose



FINISH: Chrome/Graphite

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa



OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish graphite faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

**WASRCPGAU
WAIPORI GRAPHITE
SATINJET RAIL SHOWER**



Satinjet®



Twist Free
Hose



FINISH: Chrome/White

FUNCTIONS: Satinjet®

MOUNTING METHOD: Adjustable mounting points

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish white faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

18-0240
**TURQUOISE MKII TWIN
SHOWER SYSTEM**



Twist Free
Hose



FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Bottom Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa



OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500


- 5 function adjustable spray handset
- Single function 250mm round overhead shower
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Twin shower rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Adjustable bottom pillar for easy retro-fit installation
- Height adjustable handset holder with push button slider
- Easy switch from handset to overhead drencher with the water diverter
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

18-0226
TURQUOISE MKII RAIL SHOWER



Twist Free
Hose



FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Mount Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500

- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to existing holes
- Height adjustable handset holder with twist lock metal slider
- Stilo wall elbow
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.


KISSCPSCAU KIRI SATINJET TWIN SHOWER SYSTEM



Satinjet®



Twist Free
Hose



FINISH: Chrome / Satin Chrome

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 216mm round overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish satin chrome faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.