



**Harvey Norman<sup>®</sup>**

Online | Mobile | **Your Local** Store

**SHOP** *with* **CONFIDENCE** on Quality, Value and Service.

Call 1300 464 278 for your local store.

**Bathroom & Tiles available at the following locations:** • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman<sup>®</sup> stores are operated by independent franchisees.



# METHVEN

## SHOWERS & TAPWARE Collection

---

Inspiration for planning your  
bathroom and kitchen

---







METHVEN

## Committed to the environment

At Methven we're committed to protecting the planet and reducing our environmental impact to help conserve the earth's natural resources.

Water is the earth's most precious commodity. Currently around one fifth of the world lives in a water scarce region. And with water usage growing at twice the population rate, its preservation will only become more vital in years to come.

That's why at Methven we make taking care of water a primary focus in every product we develop.


For example, did you know that your shower uses around 30% of your household water consumption? So we've developed innovative technologies - such as Satinjet and Aurajet - that deliver a luxurious shower experience, all whilst actually using less water.

Methven. Conserving energy and water to protect  
the planet for generations to come.

---



01-5009  
KIRI BASIN MIXER



**FINISH:** Chrome

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** 35mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*


\*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Solid brass construction for longevity
- Solid easy-to-grip modular handle
- Fixed spout fitted with Adjustable Stream Direction Aerator with slim stream flow direction
- Twin-stud mounting for secure basin installation
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



01-5054  
KIRI HI RISE  
BASIN MIXER



**FINISH: Chrome**

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** 35mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*


\*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Solid brass construction for longevity
- Solid easy-to-grip modular handle
- Fixed Hi Rise spout fitted with Adjustable Stream Direction Aerator with slim stream flow direction
- Twin-stud mounting for secure basin installation
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



01-5108  
KIRI SHOWER MIXER



**FINISH:** Chrome

**CONSTRUCTION:** Brass body

**CARTRIDGE TYPE:** 40mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa


**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500

- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Solid easy-to-grip modular handle
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required



01-5238  
**KIRI SHOWER MIXER  
WITH DIVERTER**



**FINISH: Chrome**

**CONSTRUCTION:** Brass body / Metal plate

**CARTRIDGE TYPE:** 40mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500



- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Shower mixer with pull-out diverter defaults to bath spout
- Metal wall plate construction for longevity
- Concealed faceplate fixing – no need for silicone sealing
- Positive-sealed faceplate
- Solid easy-to-grip modular handle
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



01-5092

**KIRI WALL MOUNTED  
BASIN MIXER WITH PLATE**



**FINISH:** Chrome

**CONSTRUCTION:** Brass spout & body / Metal plate

**CARTRIDGE TYPE:** 40mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500



- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Cast brass spout
- Metal wall plate construction for longevity
- Solid easy-to-grip modular handle
- Fixed spout fitted with Adjustable Stream Direction Aerator with slim stream flow director
- Includes wall breach
- Left-hand outlet only
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



01-5436

## KIRI WALL MOUNTED BATH MIXER WITH PLATE



**FINISH:** Chrome

**CONSTRUCTION:** Brass spout & body / Metal plate

**CARTRIDGE TYPE:** 40mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*



\*Refer AS/NZS 3500

- 40mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Cast brass spout
- Metal wall plate construction for longevity
- Solid easy-to-grip modular handle
- Fixed spout fitted with Adjustable Stream Direction Aerator with slim stream flow director
- Includes wall breach
- Left-hand outlet only
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



01-5603  
**KIRI 3 HOLE HOB  
MOUNTED BASIN SET**



**FINISH:** Chrome

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** 1/4 turn ceramic disc

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*


\*Refer AS/NZS 3500

- 1/4 turn ceramic disc technology
- Cast brass spout
- Contra-rotating handles
- Solid easy-to-grip modular handles
- Fixed spout fitted with Adjustable Stream Direction Aerator with slim stream flow director
- Includes breech
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).

01-5801

## KIRI WALL TOP ASSEMBLY PAIR



### FINISH: Chrome

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** 1/4 turn ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** Suitable for standard breach

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*


\*Refer AS/NZS 3500

### Standard Pair

- 1/4 turn ceramic disc technology
- Contra-rotating handles
- Solid easy-to-grip modular handles
- Suitable for retro-fit to existing wall breach
- Suitable for use in conjunction with Kiri wall mounted bath and basin spouts
- Suitable for mains pressure installation
- WELS rating not required



01-5740  
KIRI WALL MOUNTED  
BASIN SPOUT



**FINISH: Chrome**

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** -

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female / Push-fit


**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500

- Cast brass spout
- Flush mounted ASD aerator with slim stream flow director
- Suitable for use with Kiri wall top assemblies (*sold separately*)
- Inlet - 1/2" BSP female push-fit connection

01-5702  
**KIRI WALL MOUNTED  
BATH SPOUT**



**FINISH: Chrome**

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** -

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female / Push-fit

**WORKING PRESSURES:** 150 - 500 kpa


**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500

- Cast brass spout
- Flush mounted ASD aerator with slim stream flow director
- Suitable for use with Kiri wall top assemblies (*sold separately*)
- Inlet - 1/2" BSP female push-fit connection
- WELS rating not required



01-5306  
KIRI SINK MIXER



**FINISH:** Chrome

**CONSTRUCTION:** Brass

**CARTRIDGE TYPE:** 35mm ceramic

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa


**OPERATING TEMPERATURE:** 5°C to 70°C\*

\*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- Solid brass construction for longevity
- Solid easy-to-grip modular handle
- Swivel spout fitted with Adjustable Stream Direction Aerator with slim stream flow director
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- Optional height spacer included
- WELS rating not required

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit [www.methven.com](http://www.methven.com).


## KISSCPSCAU KIRI SATINJET TWIN SHOWER SYSTEM



Satinjet®



Twist Free  
Hose



**FINISH:** Chrome / Satin Chrome

**FUNCTIONS:** Satinjet®

**MOUNTING METHOD:** Twin solid mounting

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*


\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 216mm round overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish satin chrome faceplate colour

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit [www.methven.com](http://www.methven.com).



18-0240  
**TURQUOISE MKII TWIN  
SHOWER SYSTEM**



Twist Free  
Hose



**FINISH:** Chrome

**FUNCTIONS:** Five

**INSTALL METHOD:** Adjustable Bottom Pillar

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa



**OPERATING TEMPERATURE:** Recommended 50°C\*\*

\*\*Refer AS/NZS 3500


- 5 function adjustable spray handset
- Single function 250mm round overhead shower
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Twin shower rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Adjustable bottom pillar for easy retro-fit installation
- Height adjustable handset holder with push button slider
- Easy switch from handset to overhead drencher with the water diverter
- Durable double wound metal hose

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit [www.methven.com](http://www.methven.com).

18-0226  
TURQUOISE MKII RAIL SHOWER



Twist Free  
Hose



**FINISH:** Chrome

**FUNCTIONS:** Five

**INSTALL METHOD:** Adjustable Mount Pillar

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*\*


\*\*Refer AS/NZS 3500

- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to existing holes
- Height adjustable handset holder with twist lock metal slider
- Stilo wall elbow
- Durable double wound metal hose

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit [www.methven.com](http://www.methven.com).




## WASSCPWHAU WAIPORI SATINJET TWIN SHOWER SYSTEM



Satinjet®



Twist Free  
Hose



**FINISH:** Chrome/Graphite

**FUNCTIONS:** Satinjet®

**MOUNTING METHOD:** Twin solid mounting

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa



**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish graphite faceplate colour

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit [www.methven.com](http://www.methven.com).


**WASRCPGAU  
WAIPORI GRAPHITE  
SATINJET RAIL SHOWER**



Satinjet®



Twist Free  
Hose



**FINISH:** Chrome/White

**FUNCTIONS:** Satinjet®

**MOUNTING METHOD:** Adjustable mounting points

**SUPPLY:** Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

**WORKING PRESSURES:** 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish white faceplate colour

**THE METHVEN GUARANTEE.** For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit [www.methven.com](http://www.methven.com).