



Harvey Norman[®]

Online | Mobile | **Your Local** Store

SHOP *with* **CONFIDENCE** on Quality, Value and Service.

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman[®] stores are operated by independent franchisees.

METHVEN

SHOWERS & TAPWARE
Collection

Inspiration for planning your
bathroom and kitchen





Committed to the environment

At Methven we're committed to protecting the planet and reducing our environmental impact to help conserve the earth's natural resources.

Water is the earth's most precious commodity. Currently around one fifth of the world lives in a water scarce region. And with water usage growing at twice the population rate, its preservation will only become more vital in years to come.


That's why at Methven we make taking care of water a primary focus in every product we develop.

For example, did you know that your shower uses around 30% of your household water consumption? So we've developed innovative technologies - such as Satinjet and Aurajet - that deliver a luxurious shower experience, all whilst actually using less water.

Methven. Conserving energy and water to protect the planet for generations to come.



01-8505
MAKU BASIN MIXER



FINISH: Chrome



CONSTRUCTION: Brass
CARTRIDGE TYPE: 25mm
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 25mm ceramic disc cartridge
- Solid easy-to-grip handle
- Solid brass construction for longevity
- Adjustable Stream Direction Aerator with slim stream flow director
- Integrated base ring eliminates potential build-up of dirt, making cleaning easier
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-8567
MAKU SHOWER MIXER



FINISH: Chrome

CONSTRUCTION: Brass
CARTRIDGE TYPE: 25mm
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 25mm ceramic disc cartridge
- Solid easy-to-grip handle
- Metal wall plate construction for longevity
- Two dome covers included to provide greater installation tolerance
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required


THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

Safeflow™

MAKU SHOWER MIXER

Safeflow is a temperature and flow regulator that is operated by a simple-to-use single lever. It delivers a stable showering temperature, even with erratic hot and cold pressure.

The integrated Thermostatic Cartridge mixes the maximum water temperature to 45°. Precision ceramic discs add incrementally more cold water to the flow as you choose, resulting in a very accurate and stable output temperature. If the cold water cuts off for any reason, the thermal element quickly expands to shut off the hot water, preventing exposure to scalding water straight from the water heater.



CARTRIDGE TYPE: Ceramic, Safeflow™

CLASSIFICATION: Suitable for mains pressure systems

INLET CONNECTIONS: 1/2 " BSP Female

OUTLET CONNECTIONS: 1/2 " BSP Female

WORKING PRESSURE: 150 - 500kPa

OPTIMUM WORKING PRESSURE: 200 - 500kPa

OPERATING TEMPERATURE: 5 °C - 45 °C


- Methven Safeflow™
- Longer lasting taps
- Ceramic cartridge
- 20mm installation tolerance
- Metal faceplate

MASFSCP

Chrome

<http://www.methven.com/nz/maku-shower-mixer-safeflow>

01-8581
MAKU SHOWER MIXER
WITH DIVERTER



FINISH: Chrome


CONSTRUCTION: Brass
CARTRIDGE TYPE: 25mm
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Evenflo™ technology helps to ensure consistent water flow delivery to help prevent fluctuations in water temperature even when pressure is unbalanced. Precise temperature transition from cold to hot minimises the risk of scalding and thermal shock
- 25mm ceramic disc cartridge
- Shower mixer with pull-out diverter defaults to bath spout
- Solid easy-to-grip handle
- Metal wall plate construction for longevity
- Two dome covers included to provide greater installation tolerance
- Incorporates brass lugs for ease of mounting
- Body inlets - 1/2" BSP female
- Suitable for mains pressure installation
- WELS rating not required

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

01-8840
MAKU WALL TOP
ASSEMBLY



FINISH: Chrome



CONSTRUCTION: Brass
CARTRIDGE TYPE: 1/4 turn ceramic disc
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

Standard Pair

- 1/4 turn ceramic disc technology
- Contra-rotating handles
- Solid easy-to-grip handles
- Suitable for use with Maku wall mounted basin and bath spouts (*sold separately*)
- Suitable for retro-fit to existing wall breach
- WELS rating not required

01-8765
MAKU BATH SPOUT



ASD
Aerator

FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: -

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female




WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Cast brass spout
- Adjustable Stream Direction Aerator with slim stream flow director
- To complete the look, suitable for use with Maku shower mixer or wall top assemblies (*sold separately*)
- Inlet - 1/2" BSP female push-fit connection
- WELS rating not required

01-8789
MAKU BASIN SPOUT



ASD
Aerator



FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: -

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female


WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- Cast brass spout
- Adjustable Stream Direction Aerator with slim stream flow director
- To complete the look, suitable for use with Maku shower mixer or wall top assemblies (*sold separately*)
- Inlet - 1/2" BSP female push-fit connection
- WELS 4 Star, 7.5l/min

01-8628
MAKU SWIVEL SINK MIXER



ASD
Aerator



FINISH: Chrome


CONSTRUCTION: Brass
CARTRIDGE TYPE: 35mm
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge
- Concealed swivel operation at base of mixer
- Solid easy-to-grip handle
- Solid brass construction for longevity
- Adjustable Stream Direction Aerator with slim stream flow director
- Integrated base ring eliminates potential build-up of dirt, making cleaning easier
- Stainless steel flexible hoses - 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min

THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

WASSCPWHAU
WAIPORI SATINJET TWIN
SHOWER SYSTEM



Satinjet®



Twist Free
Hose



FINISH: Chrome/Graphite

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish graphite faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

**WASRCPGAU
WAIPORI GRAPHITE
SATINJET RAIL SHOWER**



Satinjet®



Twist Free
Hose



FINISH: Chrome/White


FUNCTIONS: Satinjet®
MOUNTING METHOD: Adjustable mounting points
SUPPLY: Mains Pressure
CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish white faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

18-0240
TURQUOISE MKII TWIN
SHOWER SYSTEM



Twist Free
Hose



FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Bottom Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500

- 5 function adjustable spray handset
- Single function 250mm round overhead shower
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Twin shower rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Adjustable bottom pillar for easy retro-fit installation
- Height adjustable handset holder with push button slider
- Easy switch from handset to overhead drencher with the water diverter
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

18-0226
TURQUOISE MKII RAIL SHOWER



Twist Free
Hose



FINISH: Chrome

FUNCTIONS: Five

INSTALL METHOD: Adjustable Mount Pillar

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


OPERATING TEMPERATURE: Recommended 50°C**

**Refer AS/NZS 3500

- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to existing holes
- Height adjustable handset holder with twist lock metal slider
- Stilo wall elbow
- Durable double wound metal hose

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

**KISSCPSCAU
KIRI SATINJET TWIN SHOWER
SYSTEM**



Satinjet®



Twist Free
Hose



FINISH: Chrome / Satin Chrome

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C*

*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 216mm round overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish satin chrome faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.