



SHOP With CONFIDENCE on Quality, Value and Service.

Online | Mobile | Your Local Store

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman® stores are operated by independent franchisees.

# showers & tapware Collection

Inspiration for planning your bathroom and kitchen

γ



## Committed to the environment


At Methven we're committed to protecting the planet and reducing our environmental impact to help conserve the earth's natural resources. Water is the earth's most precious commodity. Currently around one fifth of the world lives in a water scarce region. And with water usage growing at twice the population rate, its preservation will only become more vital in years to come. That's why at Methven we make taking care of water a primary focus in every product we develop. For example, did you know that your shower uses around 30% of your

household water consumption? So we've developed innovative technologies
 such as Satinjet and Aurajet - that deliver a luxurious shower experience,
 all whilst actually using less water.

Methven. Conserving energy and water to protect the planet for generations to come.



WASSCPWHAU WAIPORI SATINJET TWIN SHOWER SYSTEM



#### FINISH: Chrome/Graphite

FUNCTIONS: Satinjet®

MOUNTING METHOD: Twin solid mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female


WORKING PRESSURES: 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- · Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- $\cdot \,$  Strong and durable, SatinLux hose
- Stylish graphite faceplate colour

## WASRCPGRAU WAIPORI GRAPHITE SATINJET RAIL SHOWER



#### FINISH: Chrome/White

FUNCTIONS: Satinjet®

MOUNTING METHOD: Adjustable mounting points SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish white faceplate colour


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

Waipori

ESIGNEN



WASSCPWHAU WAIPORI SATINJET TWIN SHOWER SYSTEM



#### FINISH: Chrome/White

FUNCTIONS: Satinjet® MOUNTING METHOD: Twin solid mounting

SUPPLY: Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa


**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Single function 230mm square overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate
- Strong and durable, SatinLux hose
- Stylish white faceplate colour

WASRCPWHAU WAIPORI SATINJET RAIL SHOWER

METHVEN



#### FINISH: Chrome/White

FUNCTIONS: Satinjet®

MOUNTING METHOD: Adjustable mounting points SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 800mm oval rail with adjustable mounting point
- Height adjustable handset holder with push button slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish white faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.


Waipori

ESIGNED





WAWOBCPWHAU WAIPORI SATINJET HAND SHOWER



#### FINISH: Chrome/White


FUNCTIONS: Satinjet® MOUNTING METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- Stylish round wall outlet bracket
- Strong and durable, SatinLux hose
- Easy retro-fit installation
- Stylish white faceplate colour

\*Refer AS/NZS 3500



WACACPWHAU WAIPORI SATINJET WALL SHOWER ON MODERN ARM



#### FINISH: Chrome/White

FUNCTIONS: Satinjet® MOUNTING METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*  Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage

Satinjet<sup>®</sup>

- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- Durable solid brass modern arm with flange
- Brass, adjustable ball joint connection
- Easy retro-fit installation
- · Stylish white faceplate colour

\*Refer AS/NZS 3500


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

0 0

WARRANTY WARRANTY WARRANTY

rquoise M

#### 18-0240 TURQUOISE MKII TWIN SHOWER SYSTEM



#### **FINISH: Chrome**

FUNCTIONS: Five

- **INSTALL METHOD:** Adjustable Bottom Pillar
- SUPPLY: Mains Pressure
- **CONNECTIONS:** 1/2" BSP Female
- WORKING PRESSURES: 150 500 kpa
- **OPERATING TEMPERATURE:** Recommended 50°C\*\*

\*\*Refer AS/NZS 3500


- 5 function adjustable spray handset
- Single function 250mm round overhead shower
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
- Twin shower rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Adjustable bottom pillar for easy retro-fit installation
- Height adjustable handset holder with push button slider
- Easy switch from handset to overhead drencher with the water diverter
- Durable double wound metal hose



WARRANTY WARRANTY WARRANTY

rquoise MI

#### 18-0226 TURQUOISE MKII RAIL SHOWER



#### **FINISH: Chrome**

FUNCTIONS: Five

INSTALL METHOD: Adjustable Mount Pillar SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*\*

- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
  Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to
- existing holes
- Height adjustable handset holder with twist lock metal slider
- Stilo wall elbow
- Durable double wound metal hose


\*\*Refer AS/NZS 3500



LIFE TIME WARRANTY WARRANTY

rquoise MI

#### 18-0202 TURQUOISE MKII HAND SHOWER



#### **FINISH: Chrome**

FUNCTIONS: Five

INSTALL METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*\*


- 5 function adjustable spray handset
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale & calcium deposits, maintaining shower performance
  Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to
- Stylish 655mm rail with an adjustable pillar to allow easy retro-fit to existing holes
- Prince wall outlet bracket
- Durable double wound metal hose
- Easy screw-off, screw-on installation with no drilling required

\*\*Refer AS/NZS 3500





#### 13-0207 FUTURA RAIL SHOWER



#### FINISH: Chrome / Graphite

FUNCTIONS: Dual Satinjet® & Massage MOUNTING METHOD: Twin solid mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*


\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Dual spray handset featuring Satinjet® spray and a massage spray
- Unique push button built into handset to change spray pattern
- Easy-to-clean faceplate
- High quality and stylish 770mm elliptical rail with solid metal mounting points for extra durability
- Height adjustable, push button slider with reinforced metal handset holder
- Stylish chrome soap dish and unique Genesis brass wall elbow included
- Strong and durable, SatinLux hose





13-5011 FUTURA HI RISE SHOWER



#### FINISH: Chrome / Graphite

FUNCTIONS: Satinjet® & Massage MOUNTING METHOD: Wall outlet mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Dual spray rose featuring Satinjet® spray and a massage spray
- Unique push button built into shower head to change spray pattern
  Easy-to-clean faceplate
- Height adjustable, never droop, hi rise arm with a swivel joint that will not loosen or droop with use
- Brass, adjustable ball joint connection
- Easy retro-fit installation





#### 13-0108 FUTURA HAND SHOWER



#### FINISH: Chrome / Graphite

FUNCTIONS: Dual Satinjet® & Massage MOUNTING METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*  Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage


- Dual spray handset featuring Satinjet® spray and a massage spray
- Unique push button built into handset to change spray pattern
- Easy-to-clean faceplate
- Stylish and sturdy SAM wall outlet bracket
- Strong and durable, SatinLux hose
- Easy retro-fit installation

\*Refer AS/NZS 3500





13-5202 FUTURA WALL SHOWER ON UPSWEPT ARM



#### FINISH: Chrome / Graphite


FUNCTIONS: Satinjet® & Massage MOUNTING METHOD: Wall outlet mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*  Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage


- Dual spray rose featuring Satinjet® spray and a massage spray
- $\cdot \,$  Unique push button built into shower head to change spray pattern
- Easy-to-clean faceplate
- Durable solid brass upswept arm
- Brass, adjustable ball joint connection
- Easy retro-fit installation

\*Refer AS/NZS 3500



#### KISSCPSCAU KIRI SATINJET TWIN SHOWER SYSTEM





FUNCTIONS: Satinjet® MOUNTING METHOD: Twin solid mounting SUPPLY: Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa

OPERATING TEMPERATURE: Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- + Single function handset featuring Satinjet  $\ensuremath{\mathbb{R}}$  spray
- Single function 216mm round overhead shower featuring Satinjet® spray
- Easily switches from handset to overhead shower with the integrated water diverter
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Height adjustable handset holder with twist action slider
- Easy-to-clean faceplate

Satinjet<sup>°</sup>

- Strong and durable, SatinLux hose
- Stylish satin chrome faceplate colour


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

9.0

Twist Free Hose



KIHRCPSCAU KIRI SATINJET HI RISE SHOWER





#### FINISH: Chrome / Satin Chrome


FUNCTIONS: Satinjet®

MOUNTING METHOD: Wall outlet mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

\*ReferAS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function shower rose featuring Satinjet® spray
- Easy-to-clean faceplate
- Height adjustable, never droop, hi rise arm with a swivel joint that will not loosen or droop with use
- Brass adjustable ball joint connection
- Easy retro-fit installation
- Stylish satin chrome faceplate colour

KISRCPSCAU KIRI SATINJET RAIL SHOWER



#### FINISH: Chrome / Satin Chrome

FUNCTIONS: Satinjet® MOUNTING METHOD: Twin solid mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

\*ReferAS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- High quality 680mm rail with solid metal mounting points for extra durability
- Height adjustable handset holder with easy to use, twist lock metal slider
- Stylish chrome soap dish and wall elbow included
- Strong and durable, SatinLux hose
- Stylish satin chrome faceplate colour

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Satinjet® showers carry a 15 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

Kiri


SESIGNED

ZEALAND

LIFE TIME WARRANTY WARRANTY WARRANTY WARRANTY WARRANTY WARRANTY WARRANTY

Kiri

KIWOBCPSCAU KIRI SATINJET HAND SHOWER



#### FINISH: Chrome / Satin Chrome


\*ReferAS/NZS 3500

FUNCTIONS: Satinjet® MOUNTING METHOD: Screw-off, Screw on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function handset featuring Satinjet® spray
- Easy-to-clean faceplate
- Stylish round wall outlet bracket
- Strong and durable, SatinLux hose
- Easy retro-fit installation
- Stylish satin chrome faceplate colour



KICACPSCAU KIRI SATINJET WALL SHOWER ON MODERN ARM




#### FINISH: Chrome / Satin Chrome

\*ReferAS/NZS 3500

FUNCTIONS: Satinjet® MOUNTING METHOD: Wall outlet mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Single function shower rose featuring Satinjet® spray
- Easy-to-clean faceplate
- Durable solid brass modern arm with flange
- Brass, adjustable ball joint connection
- Easy retro-fit installation
- Stylish satin chrome faceplate colour

15-3084 AMIO TWIN SHOWER SYSTEM



#### **FINISH: Chrome**

#### FUNCTIONS: Five

**MOUNTING METHOD**: Twin solid mounting

SUPPLY: Mains Pressure

**CONNECTIONS:** 1/2" BSP Female

WORKING PRESSURES: 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*

\*ReferAS/NZS 3500

- 5 function adjustable spray handset
- Single function 250mm round overhead shower.
- Rub clean silicon jets on the chrome faceplate help to eliminate the build-up of limescale and calcium deposits, maintaining shower performance.
- Twin rail with in-built water delivery point to eliminate the need for a separate wall elbow
- Easily switches from handset to overhead shower with the integrated water diverter
- Stylish quadrate brass rail with solid mounting points for added durability.
- Chrome soap dish included
- Height adjustable handset holder with push button slider
- Strong and durable, Satin Lux hose


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven conventional showers carry a 5 Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

Amio

#### LIFE TIME WARRANTY WARRANTY

Rere

#### 16-1027 RERE TWIN SHOWER SYSTEM




#### **FINISH: Chrome**

FUNCTION: Single INSTALL METHOD: Fixed Mount Pillars SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*\*

\*\*Refer AS/NZS 3500

- · Single function handset and overhead shower
- Sleek square handset and overhead shower designs
- · Stylish brass rail to match handset and overhead shower designs
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale and calcium deposits, maintaining shower performance
- Height adjustable handset holder with easy to use twist action slider
  Easily switches from handset to overhead shower with the integrated
- water diverter
- Strong and durable Satin-Smooth hose
- Also available in Matte Black finish (16-1027MBK)

16-0549 **RERE RAIL SHOWER** 



#### **FINISH: Chrome**

FUNCTION: Single INSTALL METHOD: Fixed Mount Pillar SUPPLY: Mains Pressure **CONNECTIONS:** 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** Recommended 50°C\*\*

- Single function handset
- Sleek square handset design
  Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale and calcium deposits, maintaining shower performance

Hose

- Stylish metal rail and wall elbow to match handset design .
- Height adjustable handset holder with easy to use twist action slider .
- Strong and durable Satin-Smooth hose .
- Also available in Matte Black finish (16-0549MBK) .


\*\*Refer AS/NZS 3500

THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

Rere

16-0501 RERE HAND SHOWER

METHVEN



#### **FINISH: Chrome**

FUNCTION: Single INSTALL METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*\*

- Single function handset
- Sleek square handset design
- Rub clean silicon jets on the faceplate help to eliminate the build-up of limescale and calcium deposits, maintaining shower performance
- Stylish deluxe square wall outlet bracket
- Strong and durable Satin-Smooth hose
- Easy screw-off, screw-on installation with no drilling required
- Also available in Matte Black finish (16-0501MBK)

\*\*Refer AS/NZS 3500


THE METHVEN GUARANTEE. For total peace of mind, all domestic shower products include a Lifetime Replacement Guarantee. For commercial installations, Methven showers carry a Five Year Replacement Warranty. For full terms and conditions, visit www.methven.com.

Rere



Tahi

13-8302 TAHI RAIL SHOWER



#### **FINISH: Chrome**

FUNCTIONS: Satinjet® & Massage MOUNTING METHOD: Twin solid mounting SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa OPERATING TEMPERATURE: Recommended 50°C\*


\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- Dual spray handset featuring Satinjet® spray and a massage spray
- Unique sliding switch built into shower handset (182 x 80mm) to easily change spray pattern
- Easy-to-clean faceplate
- Adjustable modular shelf which offers valuable storage space plus a convenient hook for hanging shower accessories
- Strong and durable, SatinLux hose





13-7503 KIRI ROUND OVERHEAD SHOWER



#### FINISH: Chrome/Graphite

FUNCTIONS: Satinjet® MOUNTING METHOD: Screw-off, Screw-on SUPPLY: Mains Pressure CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa

**OPERATING TEMPERATURE:** Recommended 50°C\*

\*Refer AS/NZS 3500

- Features the revolutionary Satinjet® spray design. Twin jets of water collide into thousands of tiny droplets to deliver voluminous shower coverage
- 216mm round overhead shower featuring Satinjet® spray
- Easy-to-clean faceplate
- Brass, adjustable ball joint connection
- Suitable for use with Methven's designer ceiling or wall shower arms (sold separately)

δ

### Satinjet® **Overhead** Showers

Combining revolutionary Satinjet technology with state of art design, the Satinjet shower range delivers the ultimate shower experience in any bathroom space.

#### SATINJET

A full-body shower experience, like no other. Satinjet's colliding twin jets produce over 300,000 droplets of water per second for the ultimate shower experience.



ULTRA WIDE COVERAGE A full-bodied spray for all-over warmth and maximum body contact.

28



1. OVERHEAD SHOWER ON CEILING ARM

WELS mains pressure 3★ 9L/MIN > 13-7701

1.

WALL ARM WELS mains pressure 3★9L/MIN

2. OVERHEAD SHOWER ON

111



2.

3B.

4A.

3B.OVERHEAD SHOWER -ROUND

> WELS mains pressure 3★ 9L/MIN

SATIN CHROME > OSRO216SCPAU

WELS mains pressure 3★ 9L/MIN WHITE > OSRO216WHAU



3A.OVERHEAD SHOWER -

WELS mains pressure

GRAPHITE > 13-7503

3C.OVERHEAD SHOWER -

ROUND

3<del>★</del> 9L/MIN

(M)

ROUND



3C.

3A.

11



4B.



#### 4A.OVERHEAD SHOWER -SQUARE

WELS mains pressure 3★9L/MIN GRAPHITE > OSQ230CPAU



4B.OVERHEAD SHOWER -SQUARE

WELS mains pressure 3**★** 9L/MIN WHITE > OSSQ230WHAU



δ

### **Overhead Showers**

Methven's collection of overhead showers embodies the characteristics of minimalism with its simplification of form.

Shower heads crafted from 304 grade Stainless Steel, these showers will stand the test of time.



ULTRA WIDE COVERAGE A full-bodied spray for all-over warmth and maximum body contact.



1. 3. 5. 2. 3. ROUND OVERHEAD SHOWER (200MM) WELS mains pressure 3★ 9L/MIN STAINLESS STEEL > ORO200CPA  $\bigcirc$ 4. ROUND OVERHEAD 5. SQUARE OVERHEAD 2. OVERHEAD SHOWER ON SWAN NECK ARM SHOWER (300MM) SHOWER (200MM) WELS mains pressure WELS mains pressure 3★ 9L/MIN 3\* 9L/MIN Drencher WELS mains pressure STAINLESS STEEL > ORO300CPA STAINLESS STEEL > OSQ200CPA  $\bigcirc$ O 



#### 6. SQAURE OVERHEAD SHOWER (300MM)

6.

7.

WELS mains pressure 3 × 9L/MIN STAINLESS STEEL > OSQ300CPA



7. RECTANGULAR OVERHEAD SHOWER (300X200MM)

> WELS mains pressure 3<del>★</del> 9L/MIN

STAINLESS STEEL > ORE300CPA



**Overhead Showe**