

Harvey Norman


Online | Mobile | Your Local Store

SHOP with CONFIDENCE on Quality, Value and Service.

Call 1300 464 278 for your local store.

Bathroom & Tiles available at the following locations: • HARVEY NORMAN FLAGSHIP STORE @ AUBURN 9202 4888 • BALGOWLAH SUPERSTORE 9949 0100 • CAMPBELLTOWN SUPERSTORE 4621 5200 • CARINGBAH HOMEMAKER CENTRE 9589 8800 • CASTLE HILL 9840 8800 • GORDON 9496 9200 • LIVERPOOL 9600 3333 • MASCOT 9693 0710 • PENRITH SUPERSTORE 4737 5111 • PUNCHBOWL 9784 4400 • BENNETTS GREEN 4944 5000 • ERINA 4365 9888 • WARRAWONG 4223 8800 • FYSHWICK 6283 1200

Harvey Norman® stores are operated by independent franchisees.



Your kitchen, the heart of your home

You spend more active time in the kitchen than any other room in the house, and your kitchen tapware is at the heart of this so it's important to select the tapware that's right for you.



Think about how you use your kitchen tapware:

Whether you're looking to buy kitchen tapware as part of a renovation, new build or simply because your current mixer is in need of replacement, it's important to think about the everyday tasks you use it for. For example, food preparation, washing dishes, rinsing dishes, making drinks, washing hands or even watering your plants. Considering all the facts will help you choose the right combination of features.

Choosing the right kitchen tap:

1. CONSIDER THE MOUNTING TYPE - DO YOU WANT IT DECK (BENCH) OR WALL MOUNTED:

Deck mounted – Is a more contemporary look and gives you greater flexibility for kitchen sink placement.

Wall mounted – Gives a more classic look and is more cost effective if you're replacing an old wall-mounted kitchen tap.

2. CONSIDER HOW YOU WANT TO CONTROL YOUR KITCHEN TAP:

Mixers - Contemporary look and simple single handed operation.

Also, if you prefer a mixer do you want the handle positioned on the side, front or top? Methven have deck mounted mixers that allow you to position the handle at either the front or side.

Separate handles – The classic look, allowing you to control the cold and hot water individually.







3. CONSIDER YOUR SPOUT HEIGHT - HIGH VS LOW:

High spout – Gives a more contemporary look and makes filling large pots much easier.


Low spout – Is great when space is at a premium, such as when you have a cabinet or window above the sink.

4. WHAT ABOUT A PULL-OUT SPOUT:

This is a feature where the spout head pulls out towards the sink on a flexible hose, giving increased flexibility and manoeuvrability – very handy for cleaning vegetables, rinsing pots and pans or rinsing down the sink.



01-0318 **GOOSENECK PULL OUT SINK MIXER - BLACK ACCENT**







FINISH: Chrome

CONSTRUCTION: Brass Body **CARTRIDGE TYPE:** 40mm ceramic

SUPPLY: Mains Pressure


CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE: 5°C TO 80°C**

*Refer AS/NZS 3500

- · 40mm ceramic disc cartridge
- Fully flexible and retractable stainless steel pull-out hose for longevity
- Slim pin lever handle
- 360° swivel spout fitted with aerator
- Quick threaded sleeve fastening method
- Stainless steel flexible hoses 1/2" BSP female Integral non-return valve prevents cross-feeding and backflow
- Suitable for mains pressure installation
- Black accessory kit included in boxed packaging which contains matte black screw-in pin lever handle and aerated nozzle (refer to code 04-9912)
- · WELS 4 Star 7.5l/min



01-2329A **GOOSENECK PULL OUT** SINK MIXER







FINISH: Chrome

CONSTRUCTION: Brass Body **CARTRIDGE TYPE:** 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C


*Refer AS/NZS 3500

- · 40mm ceramic disc cartridge
- Fully flexible and retractable stainless steel pull-out hose for longevity
- Slim pin lever handle
- 360° swivel spout fitted with aerator
- Quick threaded sleeve fastening method
- Stainless steel flexible hoses 1/2" BSP female Integral non-return valve prevents cross-feeding and backflow
- Suitable for mains pressure installation
- Black accessory kit available containing matte black screw-in pin lever handle and aerated nozzle (sold separately refer to code 04-9912)
- WELS 4 Star 7.5l/min



Culinary

02-1055 GASTON PULL DOWN SINK MIXER - BLACK ACCENT





FINISH: Chrome / Matte Black

CONSTRUCTION: Brass Body
CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 80°C

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge
- Fully flexible metal pull-down hose for longevity
- Stylish, easy-to-grip paddle lever handle
- 360° swivel spout fitted with aerator with combination twin action aerator – rain spray and aerated flow with pause function
- Solid metal 191mm arm support with secure clip to ensure controlled spray direction
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses 1/2" BSP female
- · Suitable for mains pressure installation
- WELS 4 Star 7.5l/min


THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

*3 year warranty on Matte Black finish



Culinary

02-9402 GASTON PULL DOWN SINK MIXER





FINISH: Chrome

CONSTRUCTION: Brass Body
CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure


CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 80°C

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge
- Fully flexible metal pull-down hose for longevity
- · Stylish, easy-to-grip paddle lever handle
- 360° swivel spout fitted with aerator with combination twin action aerator – rain spray and aerated flow with pause function
- Solid metal 191mm arm support with secure clip to ensure controlled spray direction
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses 1/2" BSP female
- · Suitable for mains pressure installation
- WELS 4 Star 7.5l/min



02-9419 **GASTON PULL DOWN** SINK MIXER - SATIN





FINISH: Satin Chrome

CONSTRUCTION: Brass Body **CARTRIDGE TYPE: 35mm ceramic**

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 80°C

*Refer AS/NZS 3500

- · 35mm ceramic disc cartridge
- Fully flexible metal pull-down hose for longevity
- Stylish, easy-to-grip paddle lever handle
- 360° swivel spout fitted with aerator with combination twin action aerator rain spray and aerated flow with pause function
- Solid metal 191mm arm support with secure clip to ensure controlled spray direction
- Twin-stud mounting for secure sink installation Stainless steel flexible hoses 1/2" BSP female
- Suitable for mains pressure installation
- Available in a smooth satin finish to compliment kitchen sink styles
- · WELS 4 Star 7.5l/min


THE METHVEN GUARANTEE. For total peace of mind, all domestic tapware products include a 15 Year Parts and Labour Guarantee. For commercial installations, a Five Year Guarantee on Parts and Labour and a 10 Year Guarantee on Cartridge Replacements applies. For full terms and conditions, visit www.methven.com.

*3 year warranty on Satin Chrome finish



Minimalist

02-9358
MINIMALIST SPRING PULL
DOWN SINK MIXER WITH
TWIN ACTION SPRAY







FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*


*Refer AS/NZS 3500

- 40mm ceramic disc cartridge
- Fully flexible metal pull-down hose for longevity
- · Pin lever handle
- · Swivel spout fitted with combination twin action aerator
- rain spray and aerated flow
- · Stainless steel flexible hoses 1/2" BSP female
- Quick threaded sleeve fastening method
- · Integral non-return valve prevents cross-feeding and backflow
- Suitable for mains pressure installation
- · WELS 4 Star, 7.5l/min



Minimalist

02-3851 MINIMALIST HI RISE SINK MIXER WITH PULL OUT SPRAY







FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*


*Refer AS/NZS 3500

- 40mm ceramic disc cartridge
- Swivel spout fitted with two function pull-out spray head -aerated flow and rain spray
- · Fully flexible and retractable metal pull-out hose for longevity
- · Pin lever handle
- · Stainless steel flexible hoses 1/2" BSP female
- Integral non-return valve prevents cross-feeding and backflow
- · Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min



Culinary

01-0325 URBAN PULL OUT SINK MIXER - BLACK ACCENT







FINISH: Chrome

CONSTRUCTION: Brass Body
CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 80°C


*Refer AS/NZS 3500

- 40mm ceramic disc cartridge
- Fully flexible and retractable stainless steel pull-out hose for longevity
- Slim pin lever handle
- 360° swivel spout fitted with aerator
- · Quick threaded sleeve fastening method
- Stainless steel flexible hoses 1/2" BSP female
- · Integral non-return valve prevents cross-feeding and backflow
- · Suitable for mains pressure installation
- Black accessory kit included in boxed packaging which contains matte black screw-in pin lever handle and aerated nozzle (refer to code 04-9912)
- · WELS 4 Star 7.5l/min



Culinary

01-2381A URBAN PULL OUT SINK MIXER







FINISH: Chrome

CONSTRUCTION: Brass Body
CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure


CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 80°C

*Refer AS/NZS 3500

- 40mm ceramic disc cartridge
- Fully flexible and retractable stainless steel pull-out hose for longevity
- Slim pin lever handle
- 360° swivel spout fitted with aerator
- · Quick threaded sleeve fastening method
- Stainless steel flexible hoses 1/2" BSP female
- Integral non-return valve prevents cross-feeding and backflow
- · Suitable for mains pressure installation
- Black accessory kit available containing matte black screw-in pin lever handle and aerated nozzle (sold separately refer to code 04-9912)
- · WELS 4 Star 7.5l/min



01-0301A **OVALO L-SHAPE** SINK MIXER









FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 70°C*

*Refer AS/NZS 3500

- · 35mm ceramic disc cartridge
- · Brass construction for longevity
- Swivel L-shaped spout fitted with Adjustable Stream Direction
- Quick threaded sleeve installation method Stainless Steel flexible hoses 1/2" BSP female
- · Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min







FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 25mm ceramic

SUPPLY: Mains Pressure


CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 70°C*


**Refer AS/NZS 3500

- · 25mm ceramic disc cartridge
- · Solid brass construction for longevity
- Solid easy-to-grip handle
- Swivel spout fitted with aerator
 Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses 1/2" BSP female
- Suitable for mains pressure installation
- · WELS 5 Star 6l/min



01-2343 MINIMALIST SINK MIXER WITH TWIN HANDLES











FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 1/4 turn ceramic disc

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 70°C*


*Refer AS/NZS 3500

- · 1/4 turn ceramic disc technology
- Twin pin lever handles
- Swivel spout fitted with Adjustable Stream Direction Aerator
- Quick threaded sleeve fastening method Stainless steel flexible hoses 1/2" BSP female · Suitable for mains pressure installation
- · WELS 4 Star, 7.5l/min





01-4309 AMIO SINK MIXER









FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy
- · Solid easy-to-grip handle
- · Solid brass construction for longevity
- · Swivel spout fitted with Adjustable Stream Direction Aerator
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses 1/2" BSP female
- Suitable for mains pressure installationWELS 4 Star, 7.5l/min


• WELS 4 Star, 7.5t/11111





Kaha

01-7300 KAHA SWIVEL SINK MIXER





FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 35mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

 35mm ceramic disc cartridge can be adjusted to reduce water temperature settings, saving energy


Aerator

- · Concealed swivel operation at base of mixer
- · Solid brass construction for longevity
- Swivel spout fitted with flush mounted Adjustable Stream Direction Aerator with slim stream flow director
- Twin-stud mounting for secure sink installation
- Stainless steel flexible hoses 1/2" BSP female
- Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min





01-8222 WAIPORI SINK MIXER









FINISH: Chrome

CONSTRUCTION: Brass

CARTRIDGE TYPE: 40mm ceramic

SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female WORKING PRESSURES: 150 - 500 kpa **OPERATING TEMPERATURE:** 5°C to 70°C*

*Refer AS/NZS 3500


- · 35mm ceramic disc cartridge
- Concealed swivel operation at base of mixer
- Solid easy-to-grip modular handle
- Solid brass construction for longevity Spout fitted with Adjustable Stream Direction Aerator
- Stainless steel flexible hoses 1/2" BSP female
- Suitable for mains pressure installation
- · WELS 4 Star, 7.5l/min







01-8628 MAKU SWIVEL SINK MIXER









FINISH: Chrome

CONSTRUCTION: Brass
CARTRIDGE TYPE: 35mm
SUPPLY: Mains Pressure

CONNECTIONS: 1/2" BSP Female
WORKING PRESSURES: 150 - 500 kpa
OPERATING TEMPERATURE: 5°C to 70°C*

*Refer AS/NZS 3500

- · 35mm ceramic disc cartridge
- · Concealed swivel operation at base of mixer
- · Solid easy-to-grip handle
- Solid brass construction for longevity
- Adjustable Stream Direction Aerator with slim stream flow director
- Integrated base ring eliminates potential build-up of dirt, making cleaning easier
- Stainless steel flexible hoses 1/2" BSP female
- · Suitable for mains pressure installation
- WELS 4 Star, 7.5l/min