



# ENGINEERED OAK FLOORING



**OAK TRENDS**  
FLOORS BY DUNLOP

Exclusive to


**Harvey Norman**<sup>®</sup>

[harveynorman.com.au](http://harveynorman.com.au)







OAK TRENDS IS AVAILABLE IN...



FROST



DESERT



STORM



HAVANA

PANEL SIZE 1860 X 190 X 15mm - 2.12m<sup>2</sup> pack  
TIMBER OAK VENEER 3mm





## Oak Trends Engineered Timber flooring is the perfect finishing touch for any home, or apartment, with the stylish warmth and unique variations which only natural timber can afford.

Our alluring range is protected by a Matte UV coating and finished with a brushed textured surface highlighting the natural grain of the timber.


Each board is 190mm wide and comes complete with micro bevel edging to enhance the finish of the floor.

With a lifetime structural guarantee, Oak Trends flooring is the ideal combination of elegance, resilience and peace of mind.

Available in an enticing range of colours, Oak Trends is perfect for any interior design style - from vintage to industrial to sleek modernist. The versatility of engineered oak floors refine and enhance the appeal of any home.

Oak Trends Floors by Dunlop is an industry leader with its innovative timber flooring technology. Created using multi-layered engineered construction for long lasting durability and comfort, our flooring also features a tongue and groove joining system, which provides the most reliable and sturdy method of installation.

Designed for modern living Oak Trends is guaranteed to breathe life into any home.



## CARE AND MAINTENANCE

- Rubber based castor cups should be used for heavy load furniture such as armchairs, pianos, book shelves and the like.
- Mats, or rugs, are recommended in any area subject to heavy traffic.
- Long term exposure to direct sunlight will result in your hardwood floor changing shade. This is a natural occurrence in hardwood products. If this is a concern, use curtains, blinds or UV resistant film on windows.
- We advise using a dry or damp cloth for regular cleaning of the floor. **Do not use steam mops** or leave excess moisture on the surface of your hardwood floor. Wipe up any spills with a damp cloth.
- Use only approved timber or laminate floor cleaning products. Do not use abrasive cleaners, steel wool or scouring powder, as these may damage the surface of your floor.
- Protect your hardwood floor from wear and tear by preventing grit from dirty shoes being carried across the floor and minimise walking on your hard wood floor in spiked heel or stiletto shoes.
- For full care & maintenance information see installation guidelines.

## INSTALLATION



Oak Trends versatile engineered timber flooring is suitable for installation in any room, or space, which is not subject to excessive moisture, or high levels of humidity.

Our secure tongue and groove system is simple, yet provides you with the peace of mind of knowing that your floor is installed using the most reliable and problem-free method.

To capture the true experience of Oak Trends flooring we recommend the use of genuine Dunlop timber underlay to ensure a comfortable soft feel underfoot and to reduce noise effect.





# EXPERIENCE THE OAK TRENDS DIFFERENCE

## Lifetime

Residential Structural  
Guarantee

Our floors are certified with a structural lifetime guarantee to last and perform for years giving you confidence and peace of mind.

## 20 years

Residential Surface  
Guarantee

Built to last, with a 20 Year Surface Guarantee, you can rest assured knowing your floors will stand the test of time.



Brushed  
Surface

Our floors are finished with a brushed surface, promoting the beauty of natural timber grain, and are protected by a UV Matte coating which highlights the intricate embossing.

## UV MATTE

UV Matte Finish

A UV Matte finish protects and highlights intricate embossing, so your floors glow with the natural beauty of timber.



No Sanding and  
Polishing Required

Oak Trends flooring comes fully finished, with no sanding or polishing required, so you can enjoy your flooring immediately.



Micro-Bevel Edge

Each plank is separated by a micro bevel edge, providing the refinement of slight separation between each plank.



Tongue & Groove  
Installation System

Oak Trends floors are equipped with an easy Tongue & Groove Installation system locking each plank together for added strength and a seamless finish.

For more information talk to a  
Harvey Norman Flooring Expert

**1300 464 278** or visit **[harveynorman.com.au](http://harveynorman.com.au)**



**OAK TRENDS**  
FLOORS BY DUNLOP

Exclusive to  
**Harvey Norman**